

Odporúčania Európskej resuscitačnej rady pre kardiopulmonálnu resuscitáciu 2010

Sekcia 8 Zastavenie srdca za špeciálnych okolností: abnormality elektrolytov, otravy, topenie, náhodná hypotermia, hypertermia, astma, anafylaxia, kardiochirurgia, trauma, tehotenstvo, úraz elektrickým prúdom

Resuscitation 2010;81:1400 - 1333

Zoznam literatúry

1. Soar J, Deakin CD, Nolan JP, et al. European Resuscitation Council guidelines for resuscitation 2005. Section 7. Cardiac arrest in special circumstances. Resuscitation 2005;67:S135–70.
2. Smellie WS. Spurious hyperkalaemia. BMJ 2007;334:693–5.
3. Niemann JT, Cairns CB. Hyperkalemia and ionized hypocalcemia during cardiac arrest and resuscitation: possible culprits for postcountershock arrhythmias? Ann Emerg Med 1999;34:1–7.
4. Ahmed J, Weisberg LS. Hyperkalemia in dialysis patients. Semin Dial 2001;14:348–56.
5. Alfonzo AV, Isles C, Geddes C, Deighan C. Potassium disorders – clinical spectrum and emergency management. Resuscitation 2006;70:10–25.
6. Mahoney B, Smith W, Lo D, Tsoi K, Tonelli M, Clase C. Emergency interventions for hyperkalaemia. Cochrane Database Syst Rev 2005:CD003235.
7. Ngugi NN, McLigeyo SO, Kayima JK. Treatment of hyperkalaemia by altering the transcellular gradient in patients with renal failure: effect of various therapeutic approaches. East Afr Med J 1997;74:503–9.
8. Allon M, Shanklin N. Effect of bicarbonate administration on plasma potassium in dialysis patients: interactions with insulin and albuterol. Am J Kidney Dis 1996;28:508–14.
9. Zehnder C, Gutzwiller JP, Huber A, Schindler C, Schneditz D. Low-potassium and glucose-free dialysis maintains urea but enhances potassium removal. Nephrol Dial Transplant 2001;16:78–84.
10. Gutzwiller JP, Schneditz D, Huber AR, Schindler C, Garbani E, Zehnder CE. Increasing blood flow increases $kt/V(\text{urea})$ and potassium removal but fails to improve phosphate removal. Clin Nephrol 2003;59:130–6.
11. Heguilen RM, Sciarano C, Bellusci AD, et al. The faster potassium-lowering effect of high dialysate bicarbonate concentrations in chronic haemodialysis patients. Nephrol Dial Transplant 2005;20:591–7.
12. Pun PH, Leich RW, Smith SR, Middleton JP. Predictors of survival after cardiac arrest in outpatient hemodialysis clinics. Clin J Am Soc Nephrol 2007;2:491–500.
13. Alfonzo AV, Simpson K, Deighan C, Campbell S, Fox J. Modifications to advanced life support in renal failure. Resuscitation 2007;73:12–28.
14. Davis TR, Young BA, Eisenberg MS, Rea TD, Copass MK, Cobb LA. Outcome of cardiac arrests attended by emergency medical services staff at community outpatient dialysis centers. Kidney Int 2008;73:933–9.
15. Lafrance JP, Nolin L, Senecal L, Leblanc M. Predictors and outcome of cardiopulmonary resuscitation (CPR) calls in a large haemodialysis unit over a seven-year period. Nephrol Dial Transplant 2006;21:1006–12.
16. Sandroni C, Nolan J, Cavallaro F, Antonelli M. In-hospital cardiac arrest: incidence, prognosis and possible measures to improve survival. Intensive Care Med 2007;33:237–45.
17. Meaney PA, Nadkarni VM, Kern KB, Indik JH, Halperin HR, Berg RA. Rhythms and outcomes of adult in-hospital cardiac arrest. Crit Care Med 2010;38:101–8.
18. Bird S, Petley GW, Deakin CD, Clewlow F. Defibrillation during renal dialysis: a survey of UK practice and procedural recommendations. Resuscitation 2007;73:347–53.
19. Leich RW, Pun PH, Tanenbaum ND, Smith SR, Middleton JP. Automated external defibrillators and survival from cardiac arrest in the outpatient hemodialysis clinic. J Am Soc Nephrol 2007;18:312–20.
20. Rastegar A, Soleimani M. Hypokalaemia and hyperkalaemia. Postgrad Med J 2001;77:759–64.
21. Cohn JN, Kowey PR, Whelton PK, Prisant LM. New guidelines for potassium replacement in clinical practice: a contemporary review by the National Council on Potassium in Clinical Practice. Arch Intern Med 2000;160: 2429–36.
22. Bronstein AC, Spyker DA, Cantilena Jr LR, Green JL, Rumack BH, Giffin SL. 2008 annual report of the American Association of Poison Control Centers' National Poison Data System (NPDS): 26th Annual Report. Clin Toxicol (Phila) 2009;47:911–1084.

23. Yanagawa Y, Sakamoto T, Okada Y. Recovery from a psychotropic drug over-dose tends to depend on the time from ingestion to arrival, the Glasgow Coma Scale, and a sign of circulatory insufficiency on arrival. *Am J Emerg Med* 2007;25:757–61.
24. Zimmerman JL. Poisonings and overdoses in the intensive care unit: general and specific management issues. *Crit Care Med* 2003;31:2794–801.
- 24a. European Resuscitation Council Guidelines for Resuscitation 2010: Section 4: Adult advanced life support. *Resuscitation* 2010; 81:1305–52.
25. Proudfoot AT, Krenzelok EP, Vale JA. Position paper on urine alkalinization. *J Toxicol Clin Toxicol* 2004;42:1–26.
26. Greene S, Harris C, Singer J. Gastrointestinal decontamination of the poisoned patient. *Pediatr Emerg Care* 2008;24:176–86, quiz 87–9.
27. Vale JA. Position statement: gastric lavage. American Academy of Clinical Toxicology; European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol* 1997;35:711–9.
28. Vale JA, Kulig K. Position paper: gastric lavage. *J Toxicol Clin Toxicol* 2004;42:933–43.
29. Krenzelok EP, McGuigan M, Lheur P. Position statement: ipecac syrup, American Academy of Clinical Toxicology; European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol* 1997;35:699–709.
30. Chyka PA, Seger D, Krenzelok EP, Vale JA. Position paper: single-dose activated charcoal. *Clin Toxicol (Phila)* 2005;43:61–87.
31. Position paper: whole bowel irrigation. *J Toxicol Clin Toxicol* 2004;42:843–54.
32. Krenzelok EP. Ipecac syrup-induced emesis . . .no evidence of benefit. *Clin Toxicol (Phila)* 2005;43:11–2.
33. Position paper: ipecac syrup. *J Toxicol Clin Toxicol* 2004;42:133–43.
34. Pitetti RD, Singh S, Pierce MC. Safe and efficacious use of procedural sedation and analgesia by nonanesthesiologists in a pediatric emergency department. *Arch Pediatr Adolesc Med* 2003;157:1090–6.
35. Treatment of benzodiazepine overdose with flumazenil. The Flumazenil in Benzodiazepine Intoxication Multicenter Study Group. *Clin Ther* 1992;14:978–95.
36. Lheureux P, Vranckx M, Leduc D, Askenasi R. Flumazenil in mixed benzodiazepine/tricyclic antidepressant overdose: a placebo-controlled study in the dog. *Am J Emerg Med* 1992;10:184–8.
37. Beauvoir C, Passeron D, du Cailar G, Millet E. Diltiazem poisoning: hemodynamic aspects. *Ann Fr Anesth Reanim* 1991;10:154–7.
38. Gillart T, Loiseau S, Azarnoush K, Gonzalez D, Guelon D. Resuscitation after three hours of cardiac arrest with severe hypothermia following a toxic coma. *Ann Fr Anesth Reanim* 2008;27:510–3.
39. Nordt SP, Clark RF. Midazolam: a review of therapeutic uses and toxicity. *J Emerg Med* 1997;15:357–65.
40. Machin KL, Caulkett NA. Cardiopulmonary effects of propofol and a medetomidine-midazolam-ketamine combination in mallard ducks. *Am J Vet Res* 1998;59:598–602.
41. Osterwalder JJ. Naloxone – for intoxications with intravenous heroin and heroin mixtures – harmless or hazardous? A prospective clinical study. *J Toxicol Clin Toxicol* 1996;34:409–16.
42. Sporer KA, Firestone J, Isaacs SM. Out-of-hospital treatment of opioid overdoses in an urban setting. *Acad Emerg Med* 1996;3:660–7.
43. Wanger K, Brough L, Macmillan I, Goulding J, MacPhail I, Christenson JM. Intravenous vs subcutaneous naloxone for out-of-hospital management of pre-sumed opioid overdose. *Acad Emerg Med* 1998;5:293–9.
44. Hasan RA, Benko AS, Nolan BM, Campe J, Duff J, Zureikat GY. Cardiorespiratory effects of naloxone in children. *Ann Pharmacother* 2003;37:1587–92.
45. Sporer KA. Acute heroin overdose. *Ann Intern Med* 1999;130:584–90.
46. Kaplan JL, Marx JA, Calabro JJ, et al. Double-blind, randomized study of nalme-fene and naloxone in emergency department patients with suspected narcotic overdose. *Ann Emerg Med* 1999;34:42–50.
47. Schneir AB, Vadeboncoeur TF, Offerman SR, et al. Massive OxyContin ingestion refractory to naloxone therapy. *Ann Emerg Med* 2002;40:425–8.
48. Kelly AM, Kerr D, Dietze P, Patrick I, Walker T, Koutsogiannis Z. Randomised trial of intranasal versus intramuscular naloxone in prehospital treatment for suspected opioid overdose. *Med J Aust* 2005;182:24–7.
49. Robertson TM, Hendey GW, Stroh G, Shalit M. Intranasal naloxone is a viable alternative to intravenous naloxone for prehospital narcotic overdose. *Prehosp Emerg Care* 2009;13:512–5.
50. Tokarski GF, Young MJ. Criteria for admitting patients with tricyclic antidepressant overdose. *J Emerg Med* 1988;6:121–4.

51. Banahan Jr BF, Schelkun PH. Tricyclic antidepressant overdose: conservative management in a community hospital with cost-saving implications. *J Emerg Med* 1990;8:451–4.
52. Hulten BA, Adams R, Askenasi R, et al. Predicting severity of tricyclic antidepressant overdose. *J Toxicol Clin Toxicol* 1992;30:161–70.
53. Bailey B, Buckley NA, Amre DK. A meta-analysis of prognostic indicators to predict seizures, arrhythmias or death after tricyclic antidepressant overdose. *J Toxicol Clin Toxicol* 2004;42:877–88.
54. Thanacoody HK, Thomas SH. Tricyclic antidepressant poisoning: cardiovascular toxicity. *Toxicol Rev* 2005;24:205–14.
55. Woolf AD, Erdman AR, Nelson LS, et al. Tricyclic antidepressant poisoning: an evidence-based consensus guideline for out-of-hospital management. *Clin Toxicol (Phila)* 2007;45:203–33.
56. Hoffman JR, Votey SR, Bayer M, Silver L. Effect of hypertonic sodium bicarbonate in the treatment of moderate-to-severe cyclic antidepressant overdose. *Am J Emerg Med* 1993;11:336–41.
57. Koppel C, Wiegrefe A, Tenczer J. Clinical course, therapy, outcome and analytical data in amitriptyline and combined amitriptyline/chlordiazepoxide overdose. *Hum Exp Toxicol* 1992;11:458–65.
58. Brown TC. Tricyclic antidepressant overdose: experimental studies on the management of circulatory complications. *Clin Toxicol* 1976;9:255–72.
59. Hedges JR, Baker PB, Tasset JJ, Otten EJ, Dalsey WC, Syverud SA. Bicarbonate therapy for the cardiovascular toxicity of amitriptyline in an animal model. *J Emerg Med* 1985;3:253–60.
60. Knudsen K, Abrahamsson J. Epinephrine and sodium bicarbonate independently and additively increase survival in experimental amitriptyline poisoning. *Crit Care Med* 1997;25:669–74.
61. Nattel S, Mittleman M. Treatment of ventricular tachyarrhythmias resulting from amitriptyline toxicity in dogs. *J Pharmacol Exp Ther* 1984;231: 430–5.
62. Pentel P, Benowitz N. Efficacy and mechanism of action of sodium bicarbonate in the treatment of desipramine toxicity in rats. *J Pharmacol Exp Ther* 1984;230:12–9.
63. Sasyniuk BI, Jhamandas V, Valois M. Experimental amitriptyline intoxication: treatment of cardiac toxicity with sodium bicarbonate. *Ann Emerg Med* 1986;15:1052–9.
64. Yoav G, Odelia G, Shaltiel C. A lipid emulsion reduces mortality from clomipramine overdose in rats. *Vet Hum Toxicol* 2002;44:30.
65. Harvey M, Cave G. Intralipid outperforms sodium bicarbonate in a rabbit model of clomipramine toxicity. *Ann Emerg Med* 2007;49:178–85, 85e1–4.
66. Brunn GJ, Keyler DE, Pond SM, Pentel PR. Reversal of desipramine toxicity in rats using drug-specific antibody Fab' fragment: effects on hypotension and interaction with sodium bicarbonate. *J Pharmacol Exp Ther* 1992;260: 1392–9.
67. Brunn GJ, Keyler DE, Ross CA, Pond SM, Pentel PR. Drug-specific F(ab')₂ fragment reduces desipramine cardiotoxicity in rats. *Int J Immunopharmacol* 1991;13:841–51.
68. Hursting MJ, Ophem KE, Raisys VA, Kenny MA, Metzger G. Tricyclic antidepressant-specific Fab fragments alter the distribution and elimination of desipramine in the rabbit: a model for overdose treatment. *J Toxicol Clin Toxicol* 1989;27:53–66.
69. Pentel PR, Scarlett W, Ross CA, Landon J, Sidki A, Keyler DE. Reduction of desipramine cardiotoxicity and prolongation of survival in rats with the use of polyclonal drug-specific antibody Fab fragments. *Ann Emerg Med* 1995;26:334–41.
70. Pentel PR, Ross CA, Landon J, Sidki A, Shelver WL, Keyler DE. Reversal of desipramine toxicity in rats with polyclonal drug-specific antibody Fab fragments. *J Lab Clin Med* 1994;123:387–93.
71. Dart RC, Sidki A, Sullivan Jr JB, Egen NB, Garcia RA. Ovine desipramine antibody fragments reverse desipramine cardiovascular toxicity in the rat. *Ann Emerg Med* 1996;27:309–15.
72. Heard K, Dart RC, Bogdan G, et al. A preliminary study of tricyclic antidepressant (TCA) ovine FAB for TCA toxicity. *Clin Toxicol (Phila)* 2006;44:275–81.
73. Pentel P, Peterson CD. Asystole complicating physostigmine treatment of tri-cyclic antidepressant overdose. *Ann Emerg Med* 1980;9:588–90.
74. Lange RA, Cigarroa RG, Yancy Jr CW, et al. Cocaine-induced coronary-artery vasoconstriction. *N Engl J Med* 1989;321:1557–62.
75. Baumann BM, Perrone J, Hornig SE, Shofer FS, Hollander JE. Randomized, double-blind, placebo-controlled trial of diazepam, nitroglycerin, or both for treatment of patients with potential cocaine-associated acute coronary syndromes. *Acad Emerg Med* 2000;7:878–85.
76. Honderick T, Williams D, Seaberg D, Wears R. A prospective, randomized, controlled trial of benzodiazepines and nitroglycerine or nitroglycerine alone in the treatment of cocaine-associated acute coronary syndromes. *Am J Emerg Med* 2003;21:39–42.
77. Negus BH, Willard JE, Hillis LD, et al. Alleviation of cocaine-induced coronary vasoconstriction with intravenous verapamil. *Am J Cardiol* 1994;73:510–3.

78. Saland KE, Hillis LD, Lange RA, Cigarroa JE. Influence of morphine sulfate on cocaine-induced coronary vasoconstriction. *Am J Cardiol* 2002;90:810–1.
79. Brogan WCI, Lange RA, Kim AS, Moliterno DJ, Hillis LD. Alleviation of cocaine-induced coronary vasoconstriction by nitroglycerin. *J Am Coll Cardiol* 1991;18:581–6.
80. Hollander JE, Hoffman RS, Gennis P, et al. Nitroglycerin in the treatment of cocaine associated chest pain – clinical safety and efficacy. *J Toxicol Clin Toxicol* 1994;32:243–56.
81. Dattilo PB, Hailpern SM, Fearon K, Sohal D, Nordin C. Beta-blockers are associated with reduced risk of myocardial infarction after cocaine use. *Ann Emerg Med* 2008;51:117–25.
82. Vongpatanasin W, Mansour Y, Chavoshan B, Arbique D, Victor RG. Cocaine stimulates the human cardiovascular system via a central mechanism of action. *Circulation* 1999;100:497–502.
83. Lange RA, Cigarroa RG, Flores ED, et al. Potentiation of cocaine-induced coronary vasoconstriction by beta-adrenergic blockade. *Ann Intern Med* 1990;112:897–903.
84. Sand IC, Brody SL, Wrenn KD, Slovis CM. Experience with esmolol for the treatment of cocaine-associated cardiovascular complications. *Am J Emerg Med* 1991;9:161–3.
85. Sofuoglu M, Brown S, Babb DA, Pentel PR, Hatsukami DK. Carvedilol affects the physiological and behavioral response to smoked cocaine in humans. *Drug Alcohol Depend* 2000;60:69–76.
86. Sofuoglu M, Brown S, Babb DA, Pentel PR, Hatsukami DK. Effects of labetalol treatment on the physiological and subjective response to smoked cocaine. *Pharmacol Biochem Behav* 2000;65:255–9.
87. Boehrer JD, Moliterno DJ, Willard JE, Hillis LD, Lange RA. Influence of labetalol on cocaine-induced coronary vasoconstriction in humans. *Am J Med* 1993;94:608–10.
88. Hsue PY, McManus D, Selby V, et al. Cardiac arrest in patients who smoke crack cocaine. *Am J Cardiol* 2007;99:822–4.
89. Litz RJ, Popp M, Stehr SN, Koch T. Successful resuscitation of a patient with ropivacaine-induced asystole after axillary plexus block using lipid infusion. *Anaesthesia* 2006;61:800–1.
90. Rosenblatt MA, Abel M, Fischer GW, Itzkovich CJ, Eisenkraft JB. Successful use of a 20% lipid emulsion to resuscitate a patient after a presumed bupivacaine-related cardiac arrest. *Anesthesiology* 2006;105:217–8.
91. Marwick PC, Levin AI, Coetzee AR. Recurrence of cardiotoxicity after lipid rescue from bupivacaine-induced cardiac arrest. *Anesth Analg* 2009;108: 1344–6.
92. Smith HM, Jacob AK, Segura LG, Dilger JA, Torsher LC. Simulation education in anesthesia training: a case report of successful resuscitation of bupivacaine-induced cardiac arrest linked to recent simulation training. *Anesth Analg* 2008;106:1581–4, table of contents.
93. Warren JA, Thoma RB, Georgescu A, Shah SJ. Intravenous lipid infusion in the successful resuscitation of local anesthetic-induced cardiovascular collapse after supraclavicular brachial plexus block. *Anesth Analg* 2008;106:1578–80, table of contents.
94. Foxall GL, Hardman JG, Bedforth NM. Three-dimensional, multiplanar, ultrasound-guided, radial nerve block. *Reg Anesth Pain Med* 2007;32: 516–21.
95. Shah S, Gopalakrishnan S, Apuya J, Martin T. Use of Intralipid in an infant with impending cardiovascular collapse due to local anesthetic toxicity. *J Anesth* 2009;23:439–41.
96. Zimmer C, Piepenbrink K, Riest G, Peters J. Cardiotoxic and neurotoxic effects after accidental intravascular bupivacaine administration. Therapy with lidocaine propofol and lipid emulsion. *Anaesthesist* 2007;56:449–53.
97. Litz RJ, Roessel T, Heller AR, Stehr SN. Reversal of central nervous system and cardiac toxicity after local anesthetic intoxication by lipid emulsion injection. *Anesth Analg* 2008;106:1575–7, table of contents.
98. Ludot H, Tharin JY, Belouadah M, Mazoit JX, Malinovsky JM. Successful resuscitation after ropivacaine and lidocaine-induced ventricular arrhythmia following posterior lumbar plexus block in a child. *Anesth Analg* 2008;106:1572–4, table of contents.
99. Cave G, Harvey MG, Winterbottom T. Evaluation of the Association of Anaesthetists of Great Britain and Ireland lipid infusion protocol in bupivacaine induced cardiac arrest in rabbits. *Anaesthesia* 2009;64:732–7.
100. Di Gregorio G, Schwartz D, Ripper R, et al. Lipid emulsion is superior to vaso-pressin in a rodent model of resuscitation from toxin-induced cardiac arrest. *Crit Care Med* 2009;37:993–9.
101. Weinberg GL, VadeBoncouer T, Ramaraju GA, Garcia-Amaro MF, Cwik MJ. Pre-treatment or resuscitation with a lipid infusion shifts the dose-response to bupivacaine-induced asystole in rats. *Anesthesiology* 1998;88:1071–5.
102. Weinberg G, Ripper R, Feinstein DL, Hoffman W. Lipid emulsion infusion rescues dogs from bupivacaine-induced cardiac toxicity. *Reg Anesth Pain Med* 2003;28:198–202.
103. Weinberg GL, Di Gregorio G, Ripper R, et al. Resuscitation with lipid versus epinephrine in a rat model of bupivacaine overdose. *Anesthesiology* 2008;108:907–13.

104. Management of severe local anaesthetic toxicity. Association of Anaesthetists of Great Britain and Ireland; 2010 [accessed 28.06.10].
105. Mayr VD, Mitterschiffthaler L, Neurauder A, et al. A comparison of the combination of epinephrine and vasopressin with lipid emulsion in a porcine model of asphyxial cardiac arrest after intravenous injection of bupivacaine. *Anesth Analg* 2008;106:1566–71, table of contents.
106. Hicks SD, Salcido DD, Logue ES, et al. Lipid emulsion combined with epinephrine and vasopressin does not improve survival in a swine model of bupivacaine-induced cardiac arrest. *Anesthesiology* 2009;111:138–46.
107. Hiller DB, Gregorio GD, Ripper R, et al. Epinephrine impairs lipid resuscitation from bupivacaine overdose: a threshold effect. *Anesthesiology* 2009;111:498–505.
108. Bailey B. Glucagon in beta-blocker and calcium channel blocker overdoses: a systematic review. *J Toxicol Clin Toxicol* 2003;41:595–602.
109. Fahed S, Grum DF, Papadimos TJ. Labetalol infusion for refractory hypertension causing severe hypotension and bradycardia: an issue of patient safety. *Patient Saf Surg* 2008;2:13.
110. Fernandes CM, Daya MR. Sotalol-induced bradycardia reversed by glucagon. *Can Fam Physician* 1995;41:659–60f, 63–5.
111. Frishman W, Jacob H, Eisenberg E, Ribner H. Clinical pharmacology of the new beta-adrenergic blocking drugs. Part 8. Self-poisoning with beta-adrenoceptor blocking agents: recognition and management. *Am Heart J* 1979;98: 798–811.
112. Gabry AL, Pourriat JL, Hoang TD, Lapandry C. Cardiogenic shock caused by metoprolol poisoning. Reversibility with high doses of glucagon and isoproterenol. *Presse Med* 1985;14:229.
113. Hazouard E, Ferrandiere M, Lesire V, Joye F, Perrotin D, de Toffol B. Peduncular hallucinosis related to propranolol self-poisoning: efficacy of intravenous glucagon. *Intensive Care Med* 1999;25:336–7.
114. Khan MI, Miller MT. Beta-blocker toxicity – the role of glucagon. Report of 2 cases. *S Afr Med J* 1985;67:1062–3.
115. Moller BH. Letter: massive intoxication with metoprolol. *Br Med J* 1976;1: 222.
116. O'Mahony D, O'Leary P, Molloy MG. Severe oxprenolol poisoning: the importance of glucagon infusion. *Hum Exp Toxicol* 1990;9:101–3.
117. Wallin CJ, Hulting J. Massive metoprolol poisoning treated with prenalterol. *Acta Med Scand* 1983;214:253–5.
118. Weinstein RS, Cole S, Knaster HB, Dahlbert T. Beta blocker overdose with propranolol and with atenolol. *Ann Emerg Med* 1985;14:161–3.
119. Alderfliegel F, Leeman M, Demaeyer P, Kahn RJ. Sotalol poisoning associated with asystole. *Intensive Care Med* 1993;19:57–8.
120. Kenyon CJ, Aldinger GE, Joshipura P, Zaid GJ. Successful resuscitation using external cardiac pacing in beta adrenergic antagonist-induced bradysystolic arrest. *Ann Emerg Med* 1988;17:711–3.
121. Freestone S, Thomas HM, Bhamra RK, Dyson EH. Severe atenolol poisoning: treatment with prenalterol. *Hum Toxicol* 1986;5:343–5.
122. Kerns 2nd W, Schroeder D, Williams C, Tomaszewski C, Raymond R. Insulin improves survival in a canine model of acute beta-blocker toxicity. *Ann Emerg Med* 1997;29:748–57.
123. Holger JS, Engebretsen KM, Fritzlar SJ, Patten LC, Harris CR, Flottesmesch TJ. Insulin versus vasopressin and epinephrine to treat beta-blocker toxicity. *Clin Toxicol (Phila)* 2007;45:396–401.
124. Page C, Hackett LP, Isbister GK. The use of high-dose insulin-glucose euglycemia in beta-blocker overdose: a case report. *J Med Toxicol* 2009;5: 139–43.
125. Kollef MH. Labetalol overdose successfully treated with amrinone and alpha-adrenergic receptor agonists. *Chest* 1994;105:626–7.
126. O'Grady J, Anderson S, Pringle D. Successful treatment of severe atenolol overdose with calcium chloride. *CJEM* 2001;3:224–7.
127. Pertoldi F, D'Orlando L, Mercante WP. Electromechanical dissociation 48 hours after atenolol overdose: usefulness of calcium chloride. *Ann Emerg Med* 1998;31:777–81.
128. McVey FK, Corke CF. Extracorporeal circulation in the management of massive propranolol overdose. *Anaesthesia* 1991;46:744–6.
129. Lane AS, Woodward AC, Goldman MR. Massive propranolol overdose poorly responsive to pharmacologic therapy: use of the intra-aortic balloon pump. *Ann Emerg Med* 1987;16:1381–3.
130. Rooney M, Massey KL, Jamali F, Rosin M, Thomson D, Johnson DH. Acebutolol overdose treated with hemodialysis and extracorporeal membrane oxygenation. *J Clin Pharmacol* 1996;36:760–3.
131. Brimacombe JR, Scully M, Swainston R. Propranolol overdose – a dramatic response to calcium chloride. *Med J Aust* 1991;155:267–8.

132. Olson KR, Erdman AR, Woolf AD, et al. Calcium channel blocker ingestion: an evidence-based consensus guideline for out-of-hospital management. *Clin Toxicol (Phila)* 2005;43:797–822.
133. Boyer EW, Duic PA, Evans A. Hyperinsulinemia/euglycemia therapy for calcium channel blocker poisoning. *Pediatr Emerg Care* 2002;18:36–7.
134. Cohen V, Jellinek SP, Fancher L, et al. Tarka(R) (Trandolapril/Verapamil Hydrochloride Extended-Release) overdose. *J Emerg Med* 2009.
135. Greene SL, Gawarammana I, Wood DM, Jones AL, Dargan PI. Relative safety of hyperinsulinaemia/euglycaemia therapy in the management of calcium channel blocker overdose: a prospective observational study. *Intensive Care Med* 2007;33:2019–24.
136. Harris NS. Case records of the Massachusetts General Hospital. Case 24-2006. A 40-year-old woman with hypotension after an overdose of amlodipine. *N Engl J Med* 2006;355:602–11.
137. Herbert J, O'Malley C, Tracey J, Dwyer R, Power M. Verapamil overdosage unresponsive to dextrose/insulin therapy. *J Toxicol Clin Toxicol* 2001;39:293–4.
138. Johansen KK, Belhage B. A 48-year-old woman's survival from a massive verapamil overdose. *Ugeskr Laeger* 2007;169:4074–5.
139. Kanagarajan K, Marraffa JM, Bouchard NC, Krishnan P, Hoffman RS, Stork CM. The use of vasopressin in the setting of recalcitrant hypotension due to calcium channel blocker overdose. *Clin Toxicol (Phila)* 2007;45:56–9.
140. Marques M, Gomes E, de Oliveira J. Treatment of calcium channel blocker intoxication with insulin infusion: case report and literature review. *Resuscitation* 2003;57:211–3.
141. Meyer M, Stremski E, Scanlon M. Successful resuscitation of a verapamil intoxicated child with a dextrose-insulin infusion. *Clin Intensive Care* 2003;14:109–13.
142. Morris-Kukoski C, Biswas A, Para M. Insulin “euglycemia” therapy for accidental nifedipine overdose. *J Toxicol Clin Toxicol* 2000;38:557.
143. Ortiz-Munoz L, Rodriguez-Ospina LF, Figueroa-Gonzalez M. Hyperinsulinemic-euglycemic therapy for intoxication with calcium channel blockers. *Bol Asoc Med P R* 2005;97:182–9.
144. Patel NP, Pugh ME, Goldberg S, Eiger G. Hyperinsulinemic euglycemia therapy for verapamil poisoning: case report. *Am J Crit Care* 2007;16:18–9.
145. Place R, Carlson A, Leikin J, Hanashiro P. Hyperinsulin therapy in the treatment of verapamil overdose. *J Toxicol Clin Toxicol* 2000:576–7.
146. Rasmussen L, Husted SE, Johnsen SP. Severe intoxication after an intentional overdose of amlodipine. *Acta Anaesthesiol Scand* 2003;47:1038–40.
147. Smith SW, Ferguson KL, Hoffman RS, Nelson LS, Greller HA. Prolonged severe hypotension following combined amlodipine and valsartan ingestion. *Clin Toxicol (Phila)* 2008;46:470–4.
148. Yuan TH, Kerns WPI, Tomaszewski CA, Ford MD, Kline JA. Insulin-glucose as adjunctive therapy for severe calcium channel antagonist poisoning. *J Toxicol Clin Toxicol* 1999;37:463–74.
149. Dewitt CR, Waksman JC, Pharmacology. Pathophysiology and management of calcium channel blocker and beta-blocker toxicity. *Toxicol Rev* 2004;23:223–38.
150. Eddleston M, Rajapakse S, Rajakanthan, et al. Anti-digoxin Fab fragments in cardiotoxicity induced by ingestion of yellow oleander: a randomised controlled trial. *Lancet* 2000;355:967–72.
151. Smith TW, Butler Jr VP, Haber E, et al. Treatment of life-threatening digitalis intoxication with digoxin-specific Fab antibody fragments: experience in 26 cases. *N Engl J Med* 1982;307:1357–62.
152. Wenger TL, Butler VPJ, Haber E, Smith TW. Treatment of 63 severely digitalis-toxic patients with digoxin-specific antibody fragments. *J Am Coll Cardiol* 1985;5:118A–23A.
153. Antman EM, Wenger TL, Butler Jr VP, Haber E, Smith TW. Treatment of 150 cases of life-threatening digitalis intoxication with digoxin-specific Fab antibody fragments: final report of a multicenter study. *Circulation* 1990;81:1744–52.
154. Woolf AD, Wenger T, Smith TW, Lovejoy FHJ. The use of digoxin-specific Fab fragments for severe digitalis intoxication in children. *N Engl J Med* 1992;326:1739–44.
155. Hickey AR, Wenger TL, Carpenter VP, et al. Digoxin Immune Fab therapy in the management of digitalis intoxication: safety and efficacy results of an observational surveillance study. *J Am Coll Cardiol* 1991;17:590–8.
156. Wenger TL. Experience with digoxin immune Fab (ovine) in patients with renal impairment. *Am J Emerg Med* 1991;9:21–3, discussion 33–4.
157. Wolf U, Bauer D, Traub WH. Metalloproteases of *Serratia liquefaciens*: degradation of purified human serum proteins. *Zentralbl Bakteriol* 1991;276:16–26.
158. Taboulet P, Baud FJ, Bismuth C, Vicaut E. Acute digitalis intoxication – is pacing still appropriate? *J Toxicol Clin Toxicol* 1993;31:261–73.

159. Lapostolle F, Borron SW, Verdier C, et al. Digoxin-specific Fab fragments as single first-line therapy in digitalis poisoning. *Crit Care Med* 2008;36:3014–8.
160. Hougen TJ, Lloyd BL, Smith TW. Effects of inotropic and arrhythmogenic digoxin doses and of digoxin-specific antibody on myocardial monovalent cation trans-port in the dog. *Circ Res* 1979;44:23–31.
161. Clark RF, Selden BS, Curry SC. Digoxin-specific Fab fragments in the treatment of oleander toxicity in a canine model. *Ann Emerg Med* 1991;20:1073–7.
162. Brubacher JR, Lachmanen D, Ravikumar PR, Hoffman RS. Efficacy of digoxin specific Fab fragments (Digibind) in the treatment of toad venom poisoning. *Toxicon* 1999;37:931–42.
163. Lechat P, Mudgett-Hunter M, Margolies MN, Haber E, Smith TW. Reversal of lethal digoxin toxicity in guinea pigs using monoclonal antibodies and Fab fragments. *J Pharmacol Exp Ther* 1984;229:210–3.
164. Dasgupta A, Szelei-Stevens KA. Neutralization of free digoxin-like immunore-active components of oriental medicines Dan Shen and Lu-Shen-Wan by the Fab fragment of antidigoxin antibody (Digibind). *Am J Clin Pathol* 2004;121:276–81.
165. Bosse GM, Pope TM. Recurrent digoxin overdose and treatment with digoxin-specific Fab antibody fragments. *J Emerg Med* 1994;12:179–85.
166. Borron SW, Baud FJ, Barriot P, Imbert M, Bismuth C. Prospective study of hydroxocobalamin for acute cyanide poisoning in smoke inhalation. *Ann Emerg Med* 2007;49:794–801, e1–2.
167. Fortin JL, Giocanti JP, Ruttimann M, Kowalski JJ. Prehospital administration of hydroxocobalamin for smoke inhalation-associated cyanide poisoning: 8 years of experience in the Paris Fire Brigade. *Clin Toxicol (Phila)* 2006;44: 37–44.
168. Baud FJ, Barriot P, Toffis V, et al. Elevated blood cyanide concentrations in victims of smoke inhalation. *N Engl J Med* 1991;325:1761–6.
169. Borron SW, Baud FJ, Megarbane B, Bismuth C. Hydroxocobalamin for severe acute cyanide poisoning by ingestion or inhalation. *Am J Emerg Med* 2007;25:551–8.
170. Espinoza OB, Perez M, Ramirez MS. Bitter cassava poisoning in eight children: a case report. *Vet Hum Toxicol* 1992;34:65.
171. Houeto P, Hoffman JR, Imbert M, Levillain P, Baud FJ. Relation of blood cyanide to plasma cyanocobalamin concentration after a fixed dose of hydroxocobalamin in cyanide poisoning. *Lancet* 1995;346:605–8.
172. Pontal P, Bismuth C, Garnier R. Therapeutic attitude in cyanide poisoning: retrospective study of 24 non lethal cases. *Vet Hum Toxicol* 1982;24:286–7.
173. Kirk MA, Gerace R, Kulig KW. Cyanide and methemoglobin kinetics in smoke inhalation victims treated with the cyanide antidote kit. *Ann Emerg Med* 1993;22:1413–8.
174. Chen KK, Rose CL. Nitrite and thiosulfate therapy in cyanide poisoning. *J Am Med Assoc* 1952;149:113–9.
175. Yen D, Tsai J, Wang LM, et al. The clinical experience of acute cyanide poisoning. *Am J Emerg Med* 1995;13:524–8.
176. Iqbal S, Clower JH, Boehmer TK, Yip FY, Garbe P. Carbon monoxide related hospitalizations in the U.S.: evaluation of a web based query system for public health surveillance. *Public Health Rep* 2010;125:423–32.
177. Hampson NB, Zmaeff JL. Outcome of patients experiencing cardiac arrest with carbon monoxide poisoning treated with hyperbaric oxygen. *Ann Emerg Med* 2001;38:36–41.
178. Sloan EP, Murphy DG, Hart R, et al. Complications and protocol considerations in carbon monoxide poisoned patients who require hyperbaric oxygen therapy: report from a ten year experience. *Ann Emerg Med* 1989;18:629–34.
179. Chou KJ, Fisher JL, Silver EJ. Characteristics and outcome of children with carbon monoxide poisoning with and without smoke exposure referred for hyperbaric oxygen therapy. *Pediatr Emerg Care* 2000;16:151–5.
180. Weaver LK, Hopkins RO, Chan KJ, et al. Hyperbaric oxygen for acute carbon monoxide poisoning. *N Engl J Med* 2002;347:1057–67.
181. Thom SR, Taber RL, Mendiguren II, Clark JM, Hardy KR, Fisher AB. Delayed neuropsychologic sequelae after carbon monoxide poisoning: prevention by treatment with hyperbaric oxygen. *Ann Emerg Med* 1995;25:474–80.
182. Scheinkestel CD, Bailey M, Myles PS, et al. Hyperbaric or normobaric oxygen for acute carbon monoxide poisoning: a randomised controlled clinical trial. *Med J Aust* 1999;170:203–10.
183. Raphael JC, Elkharrat D, Jars Guincestre MC, et al. Trial of normobaric and hyperbaric oxygen for acute carbon monoxide intoxication. *Lancet* 1989;2:414–9.

184. Juurlink DN, Buckley NA, Stanbrook MB, Isbister GK, Bennett M, McGuigan MA. Hyperbaric oxygen for carbon monoxide poisoning. *Cochrane Database Syst Rev* 2005;CD002041.
185. Buckley NA, Isbister GK, Stokes B, Juurlink DN. Hyperbaric oxygen for carbon monoxide poisoning: a systematic review and critical analysis of the evidence. *Toxicol Rev* 2005;24:75–92.
186. Satran D, Henry CR, Adkinson C, Nicholson CI, Bracha Y, Henry TD. Cardiovascular manifestations of moderate to severe carbon monoxide poisoning. *J Am Coll Cardiol* 2005;45:1513–6.
187. Henry CR, Satran D, Lindgren B, Adkinson C, Nicholson CI, Henry TD. Myocardial injury and long term mortality following moderate to severe carbon monoxide
188. Warner DS, Bierens JJ, Beerman SB, Katz LM. Drowning: a cry for help. *Anesthesiology* 2009;110:1211–3.
189. Peden MM, McGee K. The epidemiology of drowning worldwide. *Inj Control Saf Promot* 2003;10:195–9.
190. National water safety statistics; 2006 [accessed 28.06.10].
191. Centers for Disease Control and Prevention. Web based injury statistics query and reporting system (WISQARS) (Online). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention (producer); 2005. Available from: URL: www.cdc.gov/ncipc/wisqars [3.02.2005].
192. Hu G, Baker SP. Trends in unintentional injury deaths, U.S., 1999–2005: age, gender, and racial/ethnic differences. *Am J Prev Med* 2009;37:188–94.
193. Driscoll TR, Harrison JA, Steenkamp M. Review of the role of alcohol in drowning associated with recreational aquatic activity. *Inj Prev* 2004;10:107–13.
194. Papa L, Hoelle R, Idris A. Systematic review of definitions for drowning incidents. *Resuscitation* 2005;65:255–64.
195. Idris AH, Berg RA, Bierens J, et al. Recommended guidelines for uniform reporting of data from drowning: the “Utstein style”. *Resuscitation* 2003;59:45–57.
196. Layon AJ, Modell JH. Drowning: update 2009. *Anesthesiology* 2009;110:1390–401.
197. Eaton D. *Lifesaving*. 6th ed. London: Royal Life Saving Society UK; 1995.
198. Watson RS, Cummings P, Quan L, Bratton S, Weiss NS. Cervical spine injuries among submersion victims. *J Trauma* 2001;51:658–62.
199. Dodd FM, Simon E, McKeown D, Patrick MR. The effect of a cervical collar on the tidal volume of anaesthetised adult patients. *Anaesthesia* 1995;50:961–3.
200. Proceedings of the 2005 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations, vol. 67. 2005. p. 157–341.
201. Venema AM, Groothoff JW, Bierens JJ. The role of bystanders during rescue and resuscitation of drowning victims. *Resuscitation* 2010;81:434–9.
202. Youn CS, Choi SP, Yim HW, Park KN. Out of hospital cardiac arrest due to drowning: an utstein style report of 10 years of experience from St Mary’s Hospital. *Resuscitation* 2009;80:778–83.
203. Goh SH, Low BY. Drowning and near drowning – some lessons learnt. *Ann Acad Med Singapore* 1999;28:183–8.
204. Quan L, Wentz KR, Gore EJ, Copass MK. Outcome and predictors of outcome in pediatric submersion victims receiving prehospital care in King County, Washington. *Pediatrics* 1990;86:586–93.
205. O’Driscoll BR, Howard LS, Davison AG. BTS guideline for emergency oxygen use in adult patients. *Thorax* 2008;63:vi1–68.
206. Perkins GD. In water resuscitation: a pilot evaluation. *Resuscitation* 2005;65:321–4.
207. Szpilman D, Soares M. In water resuscitation – is it worthwhile? *Resuscitation* 2004;63:25–31.
208. March NF, Matthews RC. New techniques in external cardiac compressions. *Aquatic cardiopulmonary resuscitation*. *JAMA* 1980;244:1229–32.
209. March NF, Matthews RC. Feasibility study of CPR in the water. *Undersea Biomed Res* 1980;7:141–8.
210. Manolios N, Mackie I. Drowning and near drowning on Australian beaches patrolled by life savers: a 10 year study, 1973–1983. *Med J Aust* 1988;148:165–7, 70–1.
211. Rosen P, Stoto M, Harley J. The use of the Heimlich maneuver in near drowning: institute of Medicine report. *J Emerg Med* 1995;13:397–405.
212. Modell JH, Calderwood HW, Ruiz BC, Downs JB, Chapman Jr R. Effects of ventilatory patterns on arterial oxygenation after near drowning in sea water. *Anesthesiology* 1974;40:376–84.
213. Golden FS, Tipton MJ, Scott RC. Immersion, near drowning and drowning. *Br J Anaesth* 1997;79:214–25.
214. Moran I, Zavala E, Fernandez R, Blanch L, Mancebo J. Recruitment manoeuvres in acute lung

injury/acute respiratory distress syndrome. *Eur Respir J Suppl* 2003;42:37s–42s.

215. Koster RW, Sayre MR, Botha M, et al. 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 5. Adult Basic Life Support. Resuscitation; doi:10.1016/j.resuscitation.2010.08.005, in press.

216. Wyatt JP, Tomlinson GS, Busuttill A. Resuscitation of drowning victims in southeast Scotland. *Resuscitation* 1999;41:101–4.

217. Schmidt U, Fritz KW, Kasperczyk W, Tscherne H. Successful resuscitation of a child with severe hypothermia after cardiac arrest of 88 minutes. *Prehospital Disaster Med* 1995;10:60–2.

218. Bolte RG, Black PG, Bowers RS, Thorne JK, Corneli HM. The use of extracorporeal rewarming in a child submerged for 66 minutes. *JAMA* 1988;260:377–9.

219. Gregorakos L, Markou N, Psalida V, et al. Near drowning: clinical course of lung injury in adults. *Lung* 2009;187:93–7.

220. The Acute Respiratory Distress Syndrome Network. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. *N Engl J Med* 2000;342:1301–8.

221. Eich C, Brauer A, Timmermann A, et al. Outcome of 12 drowned children with attempted resuscitation on cardiopulmonary bypass: an analysis of variables based on the “Utstein Style for Drowning”. *Resuscitation* 2007;75:42–52.

222. Guenther U, Varelmann D, Putensen C, Wrigge H. Extended therapeutic hypothermia for several days during extracorporeal membrane oxygenation after drowning and cardiac arrest two cases of survival with no neurological sequelae. *Resuscitation* 2009;80:379–81.

223. Wood C. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. BET, 1, prophylactic antibiotics in near drowning. *Emerg Med J* 2010;27:393–4.

224. Van Berkel M, Bierens JJLM, Lie RLK, et al. Pulmonary oedema, pneumonia and mortality in submersion victims a retrospective study in 125 patients. *Intensive Care Med* 1996;22:101–7.

225. Nolan JP, Morley PT, Vanden Hoek TL, Hickey RW. Therapeutic hypothermia after cardiac arrest. An advisory statement by the Advancement Life support Task Force of the International Liaison committee on Resuscitation. *Resuscitation* 2003;57:231–5.

226. Nolan JP, Neumar RW, Adrie C, et al. Postcardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication. A Scientific Statement from the International Liaison Committee on Resuscitation; the American Heart Association Emergency Cardiovascular Care Committee; the Council on Cardiovascular Surgery and Anesthesia; the Council on Cardiopulmonary, Perioperative, and Critical Care; the Council on Clinical Cardiology; the Council on Stroke. *Resuscitation* 2008;79:350–79.

227. Tester DJ, Kopplin LJ, Creighton W, Burke AP, Ackerman MJ. Pathogenesis of unexplained drowning: new insights from a molecular autopsy. *Mayo Clin Proc* 2005;80:596–600.

228. Soar J, Mancini ME, Bhanji F, et al. 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 12. Education, Implementation, and Teams. Resuscitation; doi:10.1016/j.resuscitation.2010.08.030, in press.

229. Choi G, Kopplin LJ, Tester DJ, Will ML, Haglund CM, Ackerman MJ. Spectrum and frequency of cardiac channel defects in swimming triggered arrhythmia syndromes. *Circulation* 2004;110:2119–24.

230. Danzl D. Accidental hypothermia. In: Auerbach P, editor. *Wilderness medicine*. St. Louis: Mosby; 2007. p. 125–60.

231. Durrer B, Brugger H, Syme D. The medical on site treatment of hypothermia ICAR MEDCOM recommendation. *High Alt Med Biol* 2003;4:99–103.

232. Walpoth BH, Galdikas J, Leupi F, Muehleemann W, Schlaepfer P, Althaus U. Assessment of hypothermia with a new “tympanic” thermometer. *J Clin Monit* 1994;10:91–6.

233. Brugger H, Oberhammer R, Adler Kastner L, Beikircher W. The rate of cooling during avalanche burial; a “Core” issue. *Resuscitation* 2009;80:956–8.

234. Lefrant JY, Muller L, de La Coussaye JE, et al. Temperature measurement in intensive care patients: comparison of urinary bladder, oesophageal, rectal, axillary, and inguinal methods versus pulmonary artery core method. *Intensive Care Med* 2003;29:414–8.

235. Robinson J, Charlton J, Seal R, Spady D, Joffres MR. Oesophageal, rectal, axillary, tympanic and pulmonary artery temperatures during cardiac surgery. *Can J Anaesth* 1998;45:317–23.

236. Wood S. Interactions between hypoxia and hypothermia. *Annu Rev Physiol* 1991;53:71–85.

237. Schneider SM. Hypothermia: from recognition to rewarming. *Emerg Med Rep* 1992;13:1–20.

238. Gilbert M, Busund R, Skagseth A, Nilsen PÅ, Solbø JP. Resuscitation from accidental hypothermia of

13.7° C with circulatory arrest. *Lancet* 2000;355:375–6.

239. Lexow K. Severe accidental hypothermia: survival after 6 hours 30 minutes of cardiopulmonary resuscitation. *Arctic Med Res* 1991;50:112–4.

240. Danzl DF, Pozos RS, Auerbach PS, et al. Multicenter hypothermia survey. *Ann Emerg Med* 1987;16:1042–55.

241. Paal P, Beikircher W, Brugger H. Avalanche emergencies. Review of the current situation. *Anaesthesist* 2006;55:314–24.

242. Krismer AC, Lindner KH, Kornberger R, et al. Cardiopulmonary resuscitation during severe hypothermia in pigs: does epinephrine or vasopressin increase coronary perfusion pressure? *Anesth Analg* 2000;90:69–73.

243. Kornberger E, Lindner KH, Mayr VD, et al. Effects of epinephrine in a pig model of hypothermic cardiac arrest and closed chest cardiopulmonary resuscitation combined with active rewarming. *Resuscitation* 2001;50:301–8.

244. Stoner J, Martin G, O'Mara K, Ehlers J, Tomlanovich M. Amiodarone and bretylium in the treatment of hypothermic ventricular fibrillation in a canine model. *Acad Emerg Med* 2003;10:187–91.

245. Mattu A, Brady WJ, Perron AD. Electrocardiographic manifestations of hypothermia. *Am J Emerg Med* 2002;20:314–26.

246. Ujhelyi MR, Sims JJ, Dubin SA, Vender J, Miller AW. Defibrillation energy requirements and electrical heterogeneity during total body hypothermia. *Crit Care Med* 2001;29:1006–11.

247. Kornberger E, Schwarz B, Lindner KH, Mair P. Forced air surface rewarming in patients with severe accidental hypothermia. *Resuscitation* 1999;41:105–11.

248. Roggla M, Frossard M, Wagner A, Holzer M, Bur A, Roggla G. Severe accidental hypothermia with or without hemodynamic instability: rewarming without the use of extracorporeal circulation. *Wien Klin Wochenschr* 2002;114:315–20.

249. Weinberg AD, Hamlet MP, Paturas JL, White RD, McAninch GW. Cold weather emergencies: principles of patient management. Branford, CN: American Medical Publishing Co.; 1990.

250. Reuler JB. Hypothermia: pathophysiology, clinical settings, and management. *Ann Intern Med* 1978;89:519–27.

251. Zell SC, Kurtz KJ. Severe exposure hypothermia: a resuscitation protocol. *Ann Emerg Med* 1985;14:339–45.

252. Althaus U, Aeberhard P, Schubach P, Nachbur BH, Muhlemann W. Management of profound accidental hypothermia with cardiorespiratory arrest. *Ann Surg* 1982;195:492–5.

253. Walpoth BH, Walpoth Aslan BN, Mattle HP, et al. Outcome of survivors of accidental deep hypothermia and circulatory arrest treated with extracorporeal blood warming. *N Engl J Med* 1997;337:1500–5.

254. Silfvast T, Pettila V. Outcome from severe accidental hypothermia in Southern Finland – a 10 year review. *Resuscitation* 2003;59:285–90.

255. Ruttmann E, Weissenbacher A, Ulmer H, et al. Prolonged extracorporeal membrane oxygenation assisted support provides improved survival in hypothermic patients with cardiocirculatory arrest. *J Thorac Cardiovasc Surg* 2007;134:594–600.

256. Boyd J, Brugger H, Shuster M. Prognostic factors in avalanche resuscitation: a systematic review. *Resuscitation* 2010;81:645–52.

257. Bouchama A, Knochel JP. Heat stroke. *N Engl J Med* 2002;346:1978–88.

258. Wappler F. Malignant hyperthermia. *Eur J Anaesthesiol* 2001;18:632–52.

259. Ali SZ, Taguchi A, Rosenberg H. Malignant hyperthermia. *Best Pract Res Clin Anaesthesiol* 2003;17:519–33.

260. Bouchama A. The 2003 European heat wave. *Intensive Care Med* 2004;30:1–3.

261. Empana JP, Sauval P, Ducimetiere P, Tafflet M, Carli P, Jouven X. Increase in out of hospital cardiac arrest attended by the medical mobile intensive care units, but not myocardial infarction, during the 2003 heat wave in Paris, France. *Crit Care Med* 2009;37:3079–84.

262. Coris EE, Ramirez AM, Van Durme DJ. Heat illness in athletes: the dangerous combination of heat, humidity and exercise. *Sports Med* 2004;34:9–16.

263. Grogan H, Hopkins PM. Heat stroke: implications for critical care and anaesthesia. *Br J Anaesth* 2002;88:700–7.

264. Bouchama A, De Vol EB. Acid–base alterations in heatstroke. *Intensive Care Med* 2001;27:680–5.

265. Pease S, Bouadma L, Kermarrec N, Schortgen F, Regnier B, Wolff M. Early organ dysfunction

- course, cooling time and outcome in classic heatstroke. *Intensive Care Med* 2009;35:1454–8.
266. Akhtar M, Jazayeri MR, Sra J, Blanck Z, Deshpande S, Dhala A. Atrioventricular nodal reentry: clinical, electrophysiological, and therapeutic considerations. *Circulation* 1993;88:282–95.
267. el Kassimi FA, Al Mashhadani S, Abdullah AK, Akhtar J. Adult respiratory distress syndrome and disseminated intravascular coagulation complicating heat stroke. *Chest* 1986;90:571–4.
268. Waruiru C, Appleton R. Febrile seizures: an update. *Arch Dis Child* 2004;89:751–6.
269. Berger J, Hart J, Millis M, Baker AL. Fulminant hepatic failure from heat stroke requiring liver transplantation. *J Clin Gastroenterol* 2000;30:429–31.
270. Huerta Alardin AL, Varon J, Marik PE. Bench to bedside review: rhabdomyolysis – an overview for clinicians. *Crit Care* 2005;9:158–69.
271. Wolff ED, Driessen OMJ. Theophylline intoxication in a child. *Ned Tijdschr Geneesk* 1977;121:896–901.
272. Sidor K, Mikolajczyk W, Horwath Stolarczyk A. Acute poisoning in children hospitalized at the Medical University Hospital No 3 in Warsaw, between 1996 and 2000. *Pediatr Pol* 2002;77:509–16.
273. Boyer EW, Shannon M. The serotonin syndrome. *N Engl J Med* 2005;352:1112–20.
274. Bhanushali MJ, Tuite PJ. The evaluation and management of patients with neuroleptic malignant syndrome. *Neurol Clin* 2004;22:389–411.
275. Abraham E, Matthay MA, Dinarello CA, et al. Consensus conference definitions for sepsis, septic shock, acute lung injury, and acute respiratory distress syndrome: time for a reevaluation. *Crit Care Med* 2000;28:232–5.
276. Savage MW, Mah PM, Weetman AP, Newell Price J. Endocrine emergencies. *Postgrad Med J* 2004;80:506–15.
277. Hadad E, Weinbroum AA, Ben Abraham R. Drug induced hyperthermia and muscle rigidity: a practical approach. *Eur J Emerg Med* 2003;10:149–54.
278. Halloran LL, Bernard DW. Management of drug induced hyperthermia. *Curr Opin Pediatr* 2004;16:211–5.
279. Bouchama A, Dehbi M, Chaves Carballo E. Cooling and hemodynamic management in heatstroke: practical recommendations. *Crit Care* 2007;11:R54.
280. Armstrong LE, Crago AE, Adams R, Roberts WO, Maresh CM. Whole body cooling of hyperthermic runners: comparison of two field therapies. *Am J Emerg Med* 1996;14:355–8.
281. Horowitz BZ. The golden hour in heat stroke: use of iced peritoneal lavage. *Am J Emerg Med* 1989;7:616–9.
282. Bernard S, Buist M, Monteiro O, Smith K. Induced hypothermia using large volume, ice cold intravenous fluid in comatose survivors of out of hospital cardiac arrest: a preliminary report. *Resuscitation* 2003;56:9–13.
283. Schmutzhard E, Engelhardt K, Beer R, et al. Safety and efficacy of a novel intravascular cooling device to control body temperature in neurologic intensive care patients: a prospective pilot study. *Crit Care Med* 2002;30:2481–8.
284. Al Senani FM, Graffagnino C, Grotta JC, et al. A prospective, multicenter pilot study to evaluate the feasibility and safety of using the CoolGard System and Icy catheter following cardiac arrest. *Resuscitation* 2004;62:143–50.
285. Behringer W, Safar P, Wu X, et al. Venovenous extracorporeal blood shunt cooling to induce mild hypothermia in dog experiments and review of cooling methods. *Resuscitation* 2002;54:89–98.
286. Hostler D, Northington WE, Callaway CW. High dose diazepam facilitates core cooling during cold saline infusion in healthy volunteers. *Appl Physiol Nutr Metab* 2009;34:582–6.
287. Hadad E, Cohen Sivan Y, Heled Y, Epstein Y. Clinical review: treatment of heat stroke: should dantrolene be considered? *Crit Care* 2005;9:86–91.
288. Channa AB, Seraj MA, Saddique AA, Kadiwal GH, Shaikh MH, Samarkandi AH. Is dantrolene effective in heat stroke patients? *Crit Care Med* 1990;18:290–2.
289. Bouchama A, Cafege A, Devol EB, Labdi O, el Assil K, Seraj M. Ineffectiveness of dantrolene sodium in the treatment of heatstroke. *Crit Care Med* 1991;19:176–80.
290. Larach MG, Gronert GA, Allen GC, Brandom BW, Lehman EB. Clinical presentation, treatment, and complications of malignant hyperthermia in North America from 1987 to 2006. *Anesth Analg* 2010;110:498–507.
291. Krause T, Gerbershagen MU, Fiege M, Weissborn R, Wappler F. Dantrolene – a review of its pharmacology, therapeutic use and new developments. *Anaesthesia* 2004;59:364–73.

292. Hall AP, Henry JA. Acute toxic effects of 'Ecstasy' (MDMA) and related compounds: overview of pathophysiology and clinical management. *Br J Anaesth* 2006;96:678–85.
293. Eshel G, Safar P, Sassano J, Stezoski W. Hyperthermia induced cardiac arrest in dogs and monkeys. *Resuscitation* 1990;20:129–43.
294. Eshel G, Safar P, Radovsky A, Stezoski SW. Hyperthermia induced cardiac arrest in monkeys: limited efficacy of standard CPR. *Aviat Space Environ Med* 1997;68:415–20.
295. Zeiner A, Holzer M, Sterz F, et al. Hyperthermia after cardiac arrest is associated with an unfavorable neurologic outcome. *Arch Intern Med* 2001;161:2007–12.
296. Masoli M, Fabian D, Holt S, Beasley R. The global burden of asthma: executive summary of the GINA Dissemination Committee report. *Allergy* 2004;59:469–78.
297. Pearce N, Ait Khaled N, Beasley R, et al. Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). *Thorax* 2007;62:758–66.
298. Global strategy for asthma management and prevention 2009; 2009 [accessed 24.06.10].
299. Romagnoli M, Caramori G, Braccioni F, et al. Near fatal asthma phenotype in the ENFUMOSA Cohort. *Clin Exp Allergy* 2007;37:552–7.
300. Turner MO, Noertjojo K, Vedal S, Bai T, Crump S, Fitzgerald JM. Risk factors for near fatal asthma: a case control study in hospitalized patients with asthma. *Am J Respir Crit Care Med* 1998;157:1804–9.
301. Ernst P, Spitzer WO, Suissa S, et al. Risk of fatal and near fatal asthma in relation to inhaled corticosteroid use. *JAMA* 1992;268:3462–4.
302. Suissa S, Blais L, Ernst P. Patterns of increasing beta-agonist use and the risk of fatal or near fatal asthma. *Eur Respir J* 1994;7:1602–9.
303. Alvarez GG, Fitzgerald JM. A systematic review of the psychological risk factors associated with near fatal asthma or fatal asthma. *Respiration* 2007;74:228–36.
304. Williams TJ, Tuxen DV, Scheinkestel CD, Czarny D, Bowes G. Risk factors for morbidity in mechanically ventilated patients with acute severe asthma. *Am Rev Respir Dis* 1992;146:607–15.
305. Soar J, Pumphrey R, Cant A, et al. Emergency treatment of anaphylactic reactions – guidelines for healthcare providers. *Resuscitation* 2008;77:157–69.
306. Kokturk N, Demir N, Kervan F, Dinc E, Koybasioglu A, Turktas H. A subglottic mass mimicking near fatal asthma: a challenge of diagnosis. *J Emerg Med* 2004;26:57–60.
307. Levy ML, Thomas M, Small I, Pearce L, Pinnock H, Stephenson P. Summary of the 2008 BTS/SIGN British Guideline on the management of asthma. *Prim Care Respir J* 2009;18:S1–16.
308. Rodrigo GJ, Nannini LJ. Comparison between nebulized adrenaline and beta2 agonists for the treatment of acute asthma. A meta-anaysis of randomized trials. *Am J Emerg Med* 2006;24:217–22.
309. Rowe BH, Spooner CH, Ducharme FM, Bretzlaff JA, Bota GW. Corticosteroids for preventing relapse following acute exacerbations of asthma. *Cochrane Database Syst Rev* 2001:CD000195.
310. Ratto D, Alfaro C, Sipsej J, Glovsky MM, Sharma OP. Are intravenous corticosteroids required in status asthmaticus? *JAMA* 1988;260:527–9.
311. Aaron SD. The use of ipratropium bromide for the management of acute asthma exacerbation in adults and children: a systematic review. *J Asthma* 2001;38:521–30.
312. Rodrigo G, Rodrigo C, Burschtin O. A meta analysis of the effects of ipratropium bromide in adults with acute asthma. *Am J Med* 1999;107:363–70.
313. Blitz M, Blitz S, Beasley R, et al. Inhaled magnesium sulfate in the treatment of acute asthma. *Cochrane Database Syst Rev* 2005:CD003898.
314. Mohammed S, Goodacre S. Intravenous and nebulised magnesium sulphate for acute asthma: systematic review and meta-analysis. *Emerg Med J* 2007;24:823–30.
315. Bradshaw TA, Matusiewicz SP, Crompton GK, Innes JA, Greening AP. Intravenous magnesium sulphate provides no additive benefit to standard management in acute asthma. *Respir Med* 2008;102:143–9.
316. Cowman S, Butler J. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. BET 3. The use of intravenous aminophylline in addition to beta-agonists and steroids in acute asthma. *Emerg Med J* 2008;25:289–90.
317. Parameswaran K, Belda J, Rowe BH. Addition of intravenous aminophylline to b2 agonists in adults with acute asthma. *Cochrane Database Syst Rev* 2000:CD002742.
318. Travers A, Jones AP, Kelly K, Barker SJ, Camargo CA, Rowe BH. Intravenous beta 2 agonists for acute asthma in the emergency department. *Cochrane Database Syst Rev* 2001:CD002988.
319. Kuitert LM, Watson D. Antileukotrienes as adjunctive therapy in acute asthma. *Drugs* 2007;67:1665–

70.

320. Camargo Jr CA, Gurner DM, Smithline HA, et al. A randomized placebo controlled study of intravenous montelukast for the treatment of acute asthma. *J Allergy Clin Immunol* 2010;125:374–80.

321. Cydulka R, Davison R, Grammer L, Parker M, Mathews JIV. The use of epinephrine in the treatment of older adult asthmatics. *Ann Emerg Med* 1988;17:322–6.

322. Victoria MS, Battista CJ, Nangia BS. Comparison of subcutaneous terbutaline with epinephrine in the treatment of asthma in children. *J Allergy Clin Immunol* 1977;59:128–35.

323. Victoria MS, Battista CJ, Nangia BS. Comparison between epinephrine and terbutaline injections in the acute management of asthma. *J Asthma* 1989;26:287–90.

324. Rodrigo GJ, Rodrigo C, Pollack CV, Rowe B. Use of helium oxygen mixtures in the treatment of acute asthma: a systematic review. *Chest* 2003;123:891–6.

325. Gupta D, Keogh B, Chung KF, et al. Characteristics and outcome for admissions to adult, general critical care units with acute severe asthma: a secondary analysis of the ICNARC Case Mix Programme Database. *Crit Care* 2004;8:R112–21.

326. Brenner B, Corbridge T, Kazzi A. Intubation and mechanical ventilation of the asthmatic patient in respiratory failure. *J Allergy Clin Immunol* 2009;124:S19–28.

327. Antonelli M, Pennisi MA, Montini L. Clinical review: noninvasive ventilation in the clinical setting – experience from the past 10 years. *Crit Care* 2005;9:98–103.

328. Ram FS, Wellington S, Rowe BH, Wedzicha JA. Non invasive positive pressure ventilation for treatment of respiratory failure due to severe acute exacerbations of asthma. *Cochrane Database Syst Rev* 2005:CD004360.

329. Leatherman JW, McArthur C, Shapiro RS. Effect of prolongation of expiratory time on dynamic hyperinflation in mechanically ventilated patients with severe asthma. *Crit Care Med* 2004;32:1542–5.

330. Bowman FP, Menegazzi JJ, Check BD, Duckett TM. Lower esophageal sphincter pressure during prolonged cardiac arrest and resuscitation. *Ann Emerg Med* 1995;26:216–9.

331. Lapinsky SE, Leung RS. Auto PEEP and electromechanical dissociation. *N Engl J Med* 1996;335:674.

332. Rogers PL, Schlichtig R, Miro A, Pinsky M. Auto PEEP during CPR. An “occult” cause of electromechanical dissociation? *Chest* 1991;99:492–3.

333. Rosengarten PL, Tuxen DV, Dziukas L, Scheinkestel C, Merrett K, Bowes G. Circulatory arrest induced by intermittent positive pressure ventilation in a patient with severe asthma. *Anaesth Intensive Care* 1991;19:118–21.

334. Sprung J, Hunter K, Barnas GM, Bourke DL. Abdominal distention is not always a sign of esophageal intubation: cardiac arrest due to “auto PEEP”. *Anesth Analg* 1994;78:801–4.

335. Harrison R. Chest compression first aid for respiratory arrest due to acute asphyxic asthma. *Emerg Med J* 2010;27:59–61.

336. Deakin CD, Morrison LJ, Morley PT, et al. 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 8. Advanced Life Support. Resuscitation; doi:10.1016/j.resuscitation.2010.08.027, in press.

337. Deakin CD, McLaren RM, Petley GW, Clewlow F, Dalrymple Hay MJ. Effects of positive end expiratory pressure on transthoracic impedance – implications for defibrillation. *Resuscitation* 1998;37:9–12.

338. Sunde K, Jacobs I, Deakin CD, et al. 2010 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. Part 6. Defibrillation. Resuscitation; doi:10.1016/j.resuscitation.2010.08.025, in press.

339. Galbois A, Ait Oufella H, Baudel JL, et al. Pleural ultrasound compared to chest radiographic detection of pneumothorax resolution after drainage. *Chest* 2010.

340. Mabuchi N, Takasu H, Ito S, et al. Successful extracorporeal lung assist (ECLA) for a patient with severe asthma and cardiac arrest. *Clin Intensive Care* 1991;2:292–4.

341. Martin GB, Rivers EP, Paradis NA, Goetting MG, Morris DC, Nowak RM. Emergency department cardiopulmonary bypass in the treatment of human cardiac arrest. *Chest* 1998;113:743–51.

342. Johansson SG, Bieber T, Dahl R, et al. Revised nomenclature for allergy for global use: report of the Nomenclature Review Committee of the World Allergy Organization, October 2003. *J Allergy Clin Immunol* 2004;113: 832–6.

343. Soar J. Emergency treatment of anaphylaxis in adults: concise guidance. *Clin Med* 2009;9:181–5.

344. Lieberman P, Camargo Jr CA, Bohlke K, et al. Epidemiology of anaphylaxis: findings of the American College of Allergy, Asthma and Immunology Epidemiology of Anaphylaxis Working Group. *Ann*

Allergy Asthma Immunol 2006;97:596–602.

345. Muraro A, Roberts G, Clark A, et al. The management of anaphylaxis in childhood: position paper of the European academy of allergology and clinical immunology. *Allergy* 2007;62:857–71.

346. Harper NJ, Dixon T, Dugue P, et al. Suspected anaphylactic reactions associated with anaesthesia. *Anaesthesia* 2009;64:199–211.

347. Pumphrey RS. Fatal anaphylaxis in the UK, 1992–2001. *Novartis Found Symp* 2004;257:116–28, discussion 28–32, 57–60, 185–276.

348. Gonzalez Perez A, Aponte Z, Vidaurre CF, Rodriguez LA. Anaphylaxis epidemiology in patients with and patients without asthma: a United Kingdom database review. *J Allergy Clin Immunol* 2010;125, 1098–104 e1.

349. Capps JA, Sharma V, Arkwright PD. Prevalence, outcome and prehospital management of anaphylaxis by first aiders and paramedical ambulance staff in Manchester, UK. *Resuscitation* 2010;81:653–7.

350. Roberts G, Patel N, Levi Schaffer F, Habibi P, Lack G. Food allergy as a risk factor for life threatening asthma in childhood: a case controlled study. *J Allergy Clin Immunol* 2003;112:168–74.

351. Gikas A, Lazaros G, Kontou Fili K. Acute ST segment elevation myocardial infarction after amoxicillin induced anaphylactic shock in a young adult with normal coronary arteries: a case report. *BMC Cardiovasc Disord* 2005;5:6.

352. Brown SG. Cardiovascular aspects of anaphylaxis: implications for treatment and diagnosis. *Curr Opin Allergy Clin Immunol* 2005;5:359–64.

353. Sampson HA, Munoz Furlong A, Campbell RL, et al. Second symposium on the definition and management of anaphylaxis: summary report – Second National Institute of Allergy and Infectious Disease/Food Allergy and Anaphylaxis Network symposium. *J Allergy Clin Immunol* 2006;117:391–7.

354. Pumphrey RSH. Fatal posture in anaphylactic shock. *J Allergy Clin Immunol* 2003;112:451–2.

355. Visscher PK, Vetter RS, Camazine S. Removing bee stings. *Lancet* 1996;348:301–2.

356. Simpson CR, Sheikh A. Adrenaline is first line treatment for the emergency treatment of anaphylaxis. *Resuscitation* 2010;81:641–2.

357. Kemp SF, Lockey RF, Simons FE. Epinephrine: the drug of choice for anaphylaxis. A statement of the World Allergy Organization. *Allergy* 2008;63:1061–70.

358. Sheikh A, Shehata YA, Brown SG, Simons FE. Adrenaline (epinephrine) for the treatment of anaphylaxis with and without shock. *Cochrane Database Syst Rev* 2008:CD006312.

359. Bautista E, Simons FE, Simons KJ, et al. Epinephrine fails to hasten hemodynamic recovery in fully developed canine anaphylactic shock. *Int Arch Allergy Immunol* 2002;128:151–64.

360. Song TT, Nelson MR, Chang JH, Engler RJ, Chowdhury BA. Adequacy of the epinephrine autoinjector needle length in delivering epinephrine to the intramuscular tissues. *Ann Allergy Asthma Immunol* 2005;94:539–42.

361. Simons FE, Gu X, Simons KJ. Epinephrine absorption in adults: intramuscular versus subcutaneous injection. *J Allergy Clin Immunol* 2001;108:871–3.

362. Simons FE, Roberts JR, Gu X, Simons KJ. Epinephrine absorption in children with a history of anaphylaxis. *J Allergy Clin Immunol* 1998;101:33–7.

363. Simons FE, Gu X, Johnston LM, Simons KJ. Can epinephrine inhalations be substituted for epinephrine injection in children at risk for systemic anaphylaxis? *Pediatrics* 2000;106:1040–4.

364. Gompels LL, Bethune C, Johnston SL, Gompels MM. Proposed use of adrenaline (epinephrine) in anaphylaxis and related conditions: a study of senior house officers starting accident and emergency posts. *Postgrad Med J* 2002;78:416–8.

365. Brown SG, Blackman KE, Stenlake V, Heddle RJ. Insect sting anaphylaxis; prospective evaluation of treatment with intravenous adrenaline and volume resuscitation. *Emerg Med J* 2004;21:149–54.

366. Sheikh A, Ten Broek V, Brown SG, Simons FE. H1 antihistamines for the treatment of anaphylaxis: *Cochrane systematic review. Allergy* 2007;62:830–7.

367. Choo KJ, Simons FE, Sheikh A. Glucocorticoids for the treatment of anaphylaxis. *Cochrane Database Syst Rev* 2010;3:CD007596.

368. Green R, Ball A. Alpha agonists for the treatment of anaphylactic shock. *Anaesthesia* 2005;60:621–2.

369. Kluger MT. The Bispectral Index during an anaphylactic circulatory arrest. *Anaesth Intensive Care* 2001;29:544–7.

370. McBrien ME, Breslin DS, Atkinson S, Johnston JR. Use of methoxamine in the resuscitation of epinephrine resistant electromechanical dissociation. *Anaesthesia* 2001;56:1085–9.

371. Rocq N, Favier JC, Plancade D, Steiner T, Mertes PM. Successful use of teripressin in postcardiac arrest resuscitation after an epinephrine resistant anaphylactic shock to suxamethonium. *Anesthesiology* 2007;107:166–7.
372. Kill C, Wranze E, Wulf H. Successful treatment of severe anaphylactic shock with vasopressin. Two case reports. *Int Arch Allergy Immunol* 2004;134:260–1.
373. Dewachter P, Raeth Fries I, Jouan Hureauux V, et al. A comparison of epinephrine only, arginine vasopressin only, and epinephrine followed by arginine vasopressin on the survival rate in a rat model of anaphylactic shock. *Anesthesiology* 2007;106:977–83.
374. Higgins DJ, Gayatri P. Methoxamine in the management of severe anaphylaxis. *Anaesthesia* 1999;54:1126.
375. Heytman M, Rainbird A. Use of alpha agonists for management of anaphylaxis occurring under anaesthesia: case studies and review. *Anaesthesia* 2004;59:1210–5.
376. Schummer W, Schummer C, Wippermann J, Fuchs J. Anaphylactic shock: is vasopressin the drug of choice? *Anesthesiology* 2004;101:1025–7.
377. Di Chiara L, Stazi GV, Ricci Z, et al. Role of vasopressin in the treatment of anaphylactic shock in a child undergoing surgery for congenital heart disease: a case report. *J Med Case Reports* 2008;2:36.
378. Meng L, Williams EL. Case report: treatment of rocuronium induced anaphylactic shock with vasopressin. *Can J Anaesth* 2008;55:437–40.
379. Schummer C, Wirsing M, Schummer W. The pivotal role of vasopressin in refractory anaphylactic shock. *Anesth Analg* 2008;107:620–4.
380. Hiruta A, Mitsuhashi H, Hiruta M, et al. Vasopressin may be useful in the treatment of systemic anaphylaxis in rabbits. *Shock* 2005;24:264–9.
381. Thomas M, Crawford I. Best evidence topic report. Glucagon infusion in refractory anaphylactic shock in patients on beta-blockers. *Emerg Med J* 2005;22:272–3.
382. Allen SJ, Gallagher A, Paxton LD. Anaphylaxis to rocuronium. *Anaesthesia* 2000;55:1223–4.
383. Lafforgue E, Sleth JC, Pluskwa F, Saizy C. Successful extracorporeal resuscitation of a probable perioperative anaphylactic shock due to atracurium. *Ann Fr Anesth Reanim* 2005;24:551–5.
384. Vatsgar TT, Ingebrigtsen O, Fjose LO, Wikstrom B, Nilsen JE, Wik L. Cardiac arrest and resuscitation with an automatic mechanical chest compression device (LUCAS) due to anaphylaxis of a woman receiving Caesarean section because of preeclampsia. *Resuscitation* 2006;68:155–9.
385. Schwartz LB. Diagnostic value of tryptase in anaphylaxis and mastocytosis. *Immunol Allergy Clin North Am* 2006;26:451–63.
386. Brown SG, Blackman KE, Heddle RJ. Can serum mast cell tryptase help diagnose anaphylaxis? *Emerg Med Australas* 2004;16:120–4.
387. Tole JW, Lieberman P. Biphasic anaphylaxis: review of incidence, clinical predictors, and observation recommendations. *Immunol Allergy Clin North Am* 2007;27:309–26, viii.
388. Simons FE, Lieberman PL, Read Jr EJ, Edwards ES. Hazards of unintentional injection of epinephrine from autoinjectors: a systematic review. *Ann Allergy Asthma Immunol* 2009;102:282–7.
389. Campbell RL, Luke A, Weaver AL, et al. Prescriptions for selfinjectable epinephrine and follow up referral in emergency department patients presenting with anaphylaxis. *Ann Allergy Asthma Immunol* 2008;101:631–6.
390. Kelso JM. A second dose of epinephrine for anaphylaxis: how often needed and how to carry. *J Allergy Clin Immunol* 2006;117:464–5.
391. Choo K, Sheikh A. Action plans for the long term management of anaphylaxis: systematic review of effectiveness. *Clin Exp Allergy* 2007;37:1090–4.
392. Charalambous CP, Zipitis CS, Keenan DJ. Chest reexploration in the intensive care unit after cardiac surgery: a safe alternative to returning to the operating theater. *Ann Thorac Surg* 2006;81:191–4.
393. McKowen RL, Magovern GJ, Liebler GA, Park SB, Burkholder JA, Maher TD. Infectious complications and cost effectiveness of open resuscitation in the surgical intensive care unit after cardiac surgery. *Ann Thorac Surg* 1985;40:388–92.
394. Pottle A, Bullock I, Thomas J, Scott L. Survival to discharge following Open Chest Cardiac Compression (OCCC). A 4 year retrospective audit in a cardiothoracic specialist centre – Royal Brompton and Harefield NHS Trust, United Kingdom. *Resuscitation* 2002;52:269–72.
395. Mackay JH, Powell SJ, Osgathorp J, Rozario CJ. Six year prospective audit of chest reopening after cardiac arrest. *Eur J Cardiothorac Surg* 2002;22:421–5.
396. Birdi I, Chaudhuri N, Lenthall K, Reddy S, Nashef SA. Emergency reinstatement of cardiopulmonary

- bypass following cardiac surgery: outcome justifies the cost. *Eur J Cardiothorac Surg* 2000;17:743–6.
397. el Banayosy A, Brehm C, Kizner L, et al. Cardiopulmonary resuscitation after cardiac surgery: a two year study. *J Cardiothorac Vasc Anesth* 1998;12:390–2.
398. Anthi A, Tzelepis GE, Alivizatos P, Michalis A, Palatianos GM, Geroulanos S. Unexpected cardiac arrest after cardiac surgery: incidence, predisposing causes, and outcome of open chest cardiopulmonary resuscitation. *Chest* 1998;113:15–9.
399. Wahba A, Gotz W, Birnbaum DE. Outcome of cardiopulmonary resuscitation following open heart surgery. *Scand Cardiovasc J* 1997;31:147–9.
400. Kaiser GC, Naunheim KS, Fiore AC, et al. Reoperation in the intensive care unit. *Ann Thorac Surg* 1990;49:903–7, discussion 8.
401. Rhodes JF, Blafox AD, Seiden HS, et al. Cardiac arrest in infants after congenital heart surgery. *Circulation* 1999;100:II194–9.
402. Dimopoulou I, Anthi A, Michalis A, Tzelepis GE. Functional status and quality of life in longterm survivors of cardiac arrest after cardiac surgery. *Crit Care Med* 2001;29:1408–11.
403. Kempen PM, Allgood R. Right ventricular rupture during closed chest cardiopulmonary resuscitation after pneumonectomy with pericardiotomy: a case report. *Crit Care Med* 1999;27:1378–9.
404. Bohrer H, Gust R, Bottiger BW. Cardiopulmonary resuscitation after cardiac surgery. *J Cardiothorac Vasc Anesth* 1995;9:352.
405. Klintschar M, Darok M, Radner H. Massive injury to the heart after attempted active compression–decompression cardiopulmonary resuscitation. *Int J Legal Med* 1998;111:93–6.
406. Fosse E, Lindberg H. Left ventricular rupture following external chest compression. *Acta Anaesthesiol Scand* 1996;40:502–4.
407. Dunning J, Nandi J, Ariffin S, Jerstice J, Danitsch D, Levine A. The Cardiac Surgery Advanced Life Support Course (CALS): delivering significant improvements in emergency cardiothoracic care. *Ann Thorac Surg* 2006;81:1767–72.
408. Dunning J, Fabbri A, Kolh PH, et al. Guideline for resuscitation in cardiac arrest after cardiac surgery. *Eur J Cardiothorac Surg* 2009;36:3–28.
409. Raman J, Saldanha RF, Branch JM, et al. Open cardiac compression in the postoperative cardiac intensive care unit. *Anaesth Intensive Care* 1989;17:129–35.
410. Rousou JA, Engelman RM, Flack 3rd JE, Deaton DW, Owen SG. Emergency cardiopulmonary bypass in the cardiac surgical unit can be a lifesaving measure in postoperative cardiac arrest. *Circulation* 1994;90:II280–4.
411. Parra DA, Totapally BR, Zahn E, et al. Outcome of cardiopulmonary resuscitation in a pediatric cardiac intensive care unit. *Crit Care Med* 2000;28:3296–300.
- 411a. European Resuscitation Council Guidelines for Resuscitation 2010: Section 6: Paediatric life support. *Resuscitation* 2010; 81:1364–88.
412. Schwarz B, Bowdle TA, Jett GK, et al. Biphasic shocks compared with monophasic damped sine wave shocks for direct ventricular defibrillation during open heart surgery. *Anesthesiology* 2003;98:1063–9.
413. Li Y, Wang H, Cho JH, et al. Defibrillation delivered during the upstroke phase of manual chest compression improves shock success. *Crit Care Med* 2010;38:910–5.
414. Li Y, Yu T, Ristagno G, et al. The optimal phasic relationship between synchronized shock and mechanical chest compressions. *Resuscitation* 2010;81:724–9.
415. Knaggs AL, Delis KT, Spearpoint KG, Zideman DA. Automated external defibrillation in cardiac surgery. *Resuscitation* 2002;55:341–5.
416. Rosemurgy AS, Norris PA, Olson SM, Hurst JM, Albrink MH. Prehospital traumatic cardiac arrest: the cost of futility. *J Trauma* 1993;35:468–73.
417. Shimazu S, Shatney CH. Outcomes of trauma patients with no vital signs on hospital admission. *J Trauma* 1983;23:213–6.
418. Battistella FD, Nugent W, Owings JT, Anderson JT. Field triage of the pulseless trauma patient. *Arch Surg* 1999;134:742–5.
419. Stockinger ZT, McSwain Jr NE. Additional evidence in support of withholding or terminating cardiopulmonary resuscitation for trauma patients in the field. *J Am Coll Surg* 2004;198:227–31.
420. Fulton RL, Voigt WJ, Hilakos AS. Confusion surrounding the treatment of traumatic cardiac arrest. *J Am Coll Surg* 1995;181:209–14.
421. Pasquale MD, Rhodes M, Cipolle MD, Hanley T, Wasser T. Defining “dead on arrival”: impact on a level I trauma center. *J Trauma* 1996;41:726–30.

422. Stratton SJ, Brickett K, Crammer T. Prehospital pulseless, unconscious penetrating trauma victims: field assessments associated with survival. *J Trauma* 1998;45:96–100.
423. Maron BJ, Estes 3rd NA. Commotio cordis. *N Engl J Med* 2010;362:917–27.
424. Maron BJ, Gohman TE, Kyle SB, Estes 3rd NA, Link MS. Clinical profile and spectrum of commotio cordis. *JAMA* 2002;287:1142–6.
425. Maron BJ, Estes 3rd NA, Link MS. Task force 11: commotio cordis. *J Am Coll Cardiol* 2005;45:1371–3.
426. Nesbitt AD, Cooper PJ, Kohl P. Rediscovering commotio cordis. *Lancet* 2001;357:1195–7.
427. Link MS, Estes M, Maron BJ. Sudden death caused by chest wall trauma (commotio cordis). In: Kohl P, Sachs F, Franz MR, editors. *Cardiac mechanoelectric feedback and arrhythmias: from pipette to patient*. Philadelphia: Elsevier Saunders; 2005. p. 270–6.
428. Maron BJ, Doerer JJ, Haas TS, Tierney DM, Mueller FO. Sudden deaths in young competitive athletes: analysis of 1866 deaths in the United States, 1980–2006. *Circulation* 2009;119:1085–92.
429. Bouillon B, Walther T, Kramer M, Neugebauer E. Trauma and circulatory arrest: 224 preclinical resuscitations in Cologne in 1987–1990. *Anaesthesist* 1994;43:786–90 [in German].
430. Fisher B, Worthen M. Cardiac arrest induced by blunt trauma in children. *Pediatr Emerg Care* 1999;15:274–6.
431. Hazinski MF, Chahine AA, Holcomb 3rd GW, Morris Jr JA. Outcome of cardiovascular collapse in pediatric blunt trauma. *Ann Emerg Med* 1994;23:1229–35.
432. Calkins CM, Bensard DD, Partrick DA, Karrer FM. A critical analysis of outcome for children sustaining cardiac arrest after blunt trauma. *J Pediatr Surg* 2002;37:180–4.
433. Yanagawa Y, Saitoh D, Takasu A, Kaneko N, Sakamoto T, Okada Y. [Experience of treatment for blunt traumatic out of hospital cardiopulmonary arrest patients over 24 years: head injury v.s. non head injury]. *No Shinkei Geka* 2004;32:231–5.
434. Pickens JJ, Copass MK, Bulger EM. Trauma patients receiving CPR: predictors of survival. *J Trauma* 2005;58:951–8.
435. Di Bartolomeo S, Sanson G, Nardi G, Michelutto V, Scian F. HEMS vs. ground BLS care in traumatic cardiac arrest. *Prehosp Emerg Care* 2005;9:79–84.
436. Willis CD, Cameron PA, Bernard SA, Fitzgerald M. Cardiopulmonary resuscitation after traumatic cardiac arrest is not always futile. *Injury* 2006;37:448–54.
437. David JS, Gueugniaud PY, Riou B, et al. Does the prognosis of cardiac arrest differ in trauma patients? *Crit Care Med* 2007;35:2251–5.
438. Crewdson K, Lockey D, Davies G. Outcome from paediatric cardiac arrest associated with trauma. *Resuscitation* 2007;75:29–34.
439. Huber Wagner S, Lefering R, Qvick M, et al. Outcome in 757 severely injured patients with traumatic cardiorespiratory arrest. *Resuscitation* 2007;75:276–85.
440. Lockey D, Crewdson K, Davies G. Traumatic cardiac arrest: who are the survivors? *Ann Emerg Med* 2006;48:240–4.
441. Cera SM, Mostafa G, Sing RF, Sarafin JL, Matthews BD, Heniford BT. Physiologic predictors of survival in posttraumatic arrest. *Am Surg* 2003;69:140–4.
442. Esposito TJ, Jurkovich GJ, Rice CL, Maier RV, Copass MK, Ashbaugh DG. Reappraisal of emergency room thoracotomy in a changing environment. *J Trauma* 1991;31:881–5, discussion 5–7.
443. Martin SK, Shatney CH, Sherck JP, et al. Blunt trauma patients with prehospital pulseless electrical activity (PEA): poor ending assured. *J Trauma* 2002;53:876–80, discussion 80–1.
444. Domeier RM, McSwain Jr NE, Hopson LR, et al. Guidelines for withholding or termination of resuscitation in prehospital traumatic cardiopulmonary arrest. *J Am Coll Surg* 2003;196:475–81.
445. Gervin AS, Fischer RP. The importance of prompt transport of salvage of patients with penetrating heart wounds. *J Trauma* 1982;22:443–8.
446. Branney SW, Moore EE, Feldhaus KM, Wolfe RE. Critical analysis of two decades of experience with postinjury emergency department thoracotomy in a regional trauma center. *J Trauma* 1998;45:87–94, discussion 5.
447. Durham III LA, Richardson RJ, Wall Jr MJ, Pepe PE, Mattox KL. Emergency center thoracotomy: impact of prehospital resuscitation. *J Trauma* 1992;32:775–9.
448. Frezza EE, Mezghebe H. Is 30 minutes the golden period to perform emergency room thoracotomy (ERT) in penetrating chest injuries? *J Cardiovasc Surg (Torino)* 1999;40:147–51.
449. Powell DW, Moore EE, Cothren CC, et al. Is emergency department resuscitative thoracotomy futile

care for the critically injured patient requiring prehospital cardiopulmonary resuscitation? *J Am Coll Surg* 2004;199:211–5.

450. Coats TJ, Keogh S, Clark H, Neal M. Prehospital resuscitative thoracotomy for cardiac arrest after penetrating trauma: rationale and case series. *J Trauma* 2001;50:670–3.

451. Wise D, Davies G, Coats T, Lockey D, Hyde J, Good A. Emergency thoracotomy: “how to do it”. *Emerg Med J* 2005;22:22–4.

452. Kwan I, Bunn F, Roberts I. Spinal immobilisation for trauma patients. *Cochrane Database Syst Rev* 2001:CD002803.

453. Davies G, Lockey D. Establishing the radical intervention of pre hospital thoracotomy as a part of normal physician prehospital practice. *Scand J Trauma Resusc Emerg Med* 2007;15:106.

454. Matsumoto H, Mashiko K, Hara Y, et al. Role of resuscitative emergency field thoracotomy in the Japanese helicopter emergency medical service system. *Resuscitation* 2009;80:1270–4.

455. Voiglio EJ, Coats TJ, Baudoin YP, Davies GD, Wilson AW. Resuscitative transverse thoracotomy. *Ann Chir* 2003;128:728–33.

456. Practice management guidelines for emergency department thoracotomy. Working Group, Ad Hoc Subcommittee on Outcomes, American College of Surgeons Committee on Trauma. *J Am Coll Surg* 2001;193:303–9.

457. Fialka C, Sebok C, Kemetzhofer P, Kwasny O, Sterz F, Vecsei V. Open chest cardiopulmonary resuscitation after cardiac arrest in cases of blunt chest or abdominal trauma: a consecutive series of 38 cases. *J Trauma* 2004;57:809–14.

458. Jones JH, Murphy MP, Dickson RL, Somerville GG, Brizendine EJ. Emergency physician verified out of hospital intubation: miss rates by paramedics. *Acad Emerg Med* 2004;11:707–9.

459. Jemmett ME, Kendal KM, Fourre MW, Burton JH. Unrecognized misplacement of endotracheal tubes in a mixed urban to rural emergency medical services setting. *Acad Emerg Med* 2003;10:961–5.

460. Katz SH, Falk JL. Misplaced endotracheal tubes by paramedics in an urban emergency medical services system. *Ann Emerg Med* 2001;37:32–7.

461. Deakin CD, Peters R, Tomlinson P, Cassidy M. Securing the prehospital airway: a comparison of laryngeal mask insertion and endotracheal intubation by UK paramedics. *Emerg Med J* 2005;22:64–7.

462. Cobas MA, De la Pena MA, Manning R, Candiotti K, Varon AJ. Prehospital intubations and mortality: a level 1 trauma center perspective. *Anesth Analg* 2009;109:489–93.

463. Pepe PE, Roppolo LP, Fowler RL. The detrimental effects of ventilation during low blood flow states. *Curr Opin Crit Care* 2005;11:212–8.

464. Deakin CD, Davies G, Wilson A. Simple thoracostomy avoids chest drain insertion in prehospital trauma. *J Trauma* 1995;39:373–4.

465. Luna GK, Pavlin EG, Kirkman T, Copass MK, Rice CL. Hemodynamic effects of external cardiac massage in trauma shock. *J Trauma* 1989;29:1430–3.

466. Kragh Jr JF, Walters TJ, Baer DG, et al. Survival with emergency tourniquet use to stop bleeding in major limb trauma. *Ann Surg* 2009;249:1–7.

467. Gao JM, Gao YH, Wei GB, et al. Penetrating cardiac wounds: principles for surgical management. *World J Surg* 2004;28:1025–9.

468. Kwan I, Bunn F, Roberts I. Timing and volume of fluid administration for patients with bleeding. *Cochrane Database Syst Rev* 2003:CD002245.

469. Spinella PC, Holcomb JB. Resuscitation and transfusion principles for traumatic hemorrhagic shock. *Blood Rev* 2009;23:231–40.

470. Pepe PE, Mosesso VN, Falk JLL. Prehospital fluid resuscitation of the patient with major trauma. *Prehosp Emerg Care* 2002;6:81–91.

471. Bickell WH, Wall Jr MJ, Pepe PE, et al. Immediate versus delayed fluid resuscitation for hypotensive patients with penetrating torso injuries. *N Engl J Med* 1994;331:1105–9.

472. National Institute for Clinical Excellence. Prehospital initiation of fluid replacement therapy for trauma. London: National Institute for Clinical Excellence; 2004.

473. Sumida MP, Quinn K, Lewis PL, et al. Prehospital blood transfusion versus crystalloid alone in the air medical transport of trauma patients. *Air Med J* 2000;19:140–3.

474. Barkana Y, Stein M, Maor R, Lynn M, Eldad A. Prehospital blood transfusion in prolonged evacuation. *J Trauma* 1999;46:176–80.

475. Walcher F, Kortum S, Kirschning T, Weihgold N, Marzi I. Optimized management of polytraumatized patients by prehospital ultrasound. *Unfallchirurg* 2002;105:986–94.

476. Kirschning T, Brenner F, Stier M, Weber CF, Walcher F. Prehospital emergency sonography of trauma patients. *Anaesthesist* 2009;58:51–60.
477. Krismer AC, Wenzel V, Voelckel WG, et al. Employing vasopressin as an adjunct vasopressor in uncontrolled traumatic hemorrhagic shock. Three cases and a brief analysis of the literature. *Anaesthesist* 2005;54:220–4.
478. Department of Health, Welsh Office, Scottish Office Department of Health, Department of Health and Social Services, Northern Ireland. Why mothers die. Report on confidential enquiries into maternal deaths in the United Kingdom, 2000–2002. London: The Stationery Office; 2004.
479. Hogan MC, Foreman KJ, Naghavi M, et al. Maternal mortality for 181 countries, 1980–2008: a systematic analysis of progress towards Millennium Development Goal 5. *Lancet* 2010;375:1609–23.
480. Lewis G. The Confidential Enquiry into Maternal and Child Health (CEMACH). Saving Mothers' Lives: Reviewing maternal deaths to make motherhood safer– 2003–2005. The Seventh Report of the Confidential Enquiries into Maternal Deaths in the United Kingdom. London: CEMACH; 2007.
481. Page Rodriguez A, Gonzalez Sanchez JA. Perimortem cesarean section of twin pregnancy: case report and review of the literature. *Acad Emerg Med* 1999;6:1072–4.
482. Cardosi RJ, Porter KB. Cesarean delivery of twins during maternal cardiopulmonary arrest. *Obstet Gynecol* 1998;92:695–7.
483. Mendonca C, Griffiths J, Ateleanu B, Collis RE. Hypotension following combined spinal epidural anaesthesia for Caesarean section. Left lateral position vs. tilted supine position. *Anaesthesia* 2003;58:428–31.
484. Rees SG, Thurlow JA, Gardner IC, Scrutton MJ, Kinsella SM. Maternal cardiovascular consequences of positioning after spinal anaesthesia for Caesarean section: left 15 degree table tilt vs. left lateral. *Anaesthesia* 2002;57:15–20.
485. Bamber JH, Dresner M. Aortocaval compression in pregnancy: the effect of changing the degree and direction of lateral tilt on maternal cardiac output. *Anesth Analg* 2003;97:256–8, table of contents.
486. Carbonne B, Benachi A, Leveque ML, Cabrol D, Papiernik E. Maternal position during labor: effects on fetal oxygen saturation measured by pulse oximetry. *Obstet Gynecol* 1996;88:797–800.
487. Tamas P, Szilagyi A, Jeges S, et al. Effects of maternal central hemodynamics on fetal heart rate patterns. *Acta Obstet Gynecol Scand* 2007;86:711–4.
488. Abitbol MM. Supine position in labor and associated fetal heart rate changes. *Obstet Gynecol* 1985;65:481–6.
489. Ellington C, Katz VL, Watson WJ, Spielman FJ. The effect of lateral tilt on maternal and fetal hemodynamic variables. *Obstet Gynecol* 1991;77:201–3.
490. Matorras R, Tacuri C, Nieto A, Gutierrez de Teran G, Cortes J. Lack of benefits of left tilt in emergent cesarean sections: a randomized study of cardiocography, cord acid–base status and other parameters of the mother and the fetus. *J Perinat Med* 1998;26:284–92.
491. Kinsella SM, Whitwam JG, Spencer JA. Aortic compression by the uterus: identification with the Finapres digital arterial pressure instrument. *Br J Obstet Gynaecol* 1990;97:700–5.
492. Kundra P, Khanna S, Habeebullah S, Ravishankar M. Manual displacement of the uterus during Caesarean section. *Anaesthesia* 2007;62:460–5.
493. Amaro A, Capelli E, Cardoso M, Rosa M, Carvalho J. Manual left uterine displacement or modified Crawford's edge. A comparative study in spinal anesthesia for cesarean delivery. *Rev Bras Anesthesiol* 1998;48:99–104.
494. Kinsella SM. Lateral tilt for pregnant women: why 15 degrees? *Anaesthesia* 2003;58:835–6.
495. Goodwin AP, Pearce AJ. The human wedge. A manoeuvre to relieve aortocaval compression during resuscitation in late pregnancy. *Anaesthesia* 1992;47:433–4.
496. Rees GA, Willis BA. Resuscitation in late pregnancy. *Anaesthesia* 1988;43:347–9.
497. Jones SJ, Kinsella SM, Donald FA. Comparison of measured and estimated angles of table tilt at Caesarean section. *Br J Anaesth* 2003;90:86–7.
498. Johnson MD, Luppi CJ, Over DC. Cardiopulmonary resuscitation. In: Gambling DR, Douglas MJ, editors. *Obstetric anesthesia and uncommon disorders*. Philadelphia: W.B. Saunders; 1998. p. 51–74.
499. Izci B, Vennelle M, Liston WA, Dundas KC, Calder AA, Douglas NJ. Sleep disordered breathing and upper airway size in pregnancy and postpartum. *Eur Respir J* 2006;27:321–7.
500. Rahman K, Jenkins JG. Failed tracheal intubation in obstetrics: no more frequent but still managed badly. *Anaesthesia* 2005;60:168–71.
501. Henderson JJ, Popat MT, Latto IP, Pearce AC. Difficult Airway Society guidelines for management

of the unanticipated difficult intubation. *Anaesthesia* 2004;59:675–94.

502. Nanson J, Elcock D, Williams M, Deakin CD. Do physiological changes in pregnancy change defibrillation energy requirements? *Br J Anaesth* 2001;87:237–9.

503. Potts M, Prata N, Sahin Hodoglugil NN. Maternal mortality: one death every 7 min. *Lancet* 2010;375:1762–3.

504. Geoghegan J, Daniels JP, Moore PA, Thompson PJ, Khan KS, Gulmezoglu AM.

Cell salvage at Caesarean section: the need for an evidence based approach. *BJOG* 2009;116:743–7.

505. Bouwmeester FW, Bolte AC, van Geijn HP. Pharmacological and surgical therapy for primary postpartum hemorrhage. *Curr Pharm Des* 2005;11:759–73.

506. Hofmeyr GJ, Abdel Aleem H, Abdel Aleem MA. Uterine massage for preventing postpartum haemorrhage. *Cochrane Database Syst Rev* 2008:CD006431.

507. Sekhavat L, Tabatabaie A, Dalili M, Farajkhoda T, Tafti AD. Efficacy of tranexamic acid in reducing blood loss after cesarean section. *J Matern Fetal Neonatal Med* 2009;22:72–5.

508. Phillips LE, McLintock C, Pollock W, et al. Recombinant activated factor VII in obstetric hemorrhage: experiences from the Australian and New Zealand Haemostasis Registry. *Anesth Analg* 2009;109:1908–15.

509. Bomken C, Mathai S, Biss T, Loughney A, Hanley J. Recombinant activated factor VII (rFVIIa) in the management of major obstetric haemorrhage: a case series and a proposed guideline for use. *Obstet Gynecol Int* 2009;2009:364843.

510. Doumouchtsis SK, Papageorghiou AT, Vernier C, Arulkumaran S. Management of postpartum hemorrhage by uterine balloon tamponade: prospective evaluation of effectiveness. *Acta Obstet Gynecol Scand* 2008;87:849–55.

511. Georgiou C. Balloon tamponade in the management of postpartum haemorrhage: a review. *BJOG* 2009;116:748–57.

512. El Hamamy E. CBL. A worldwide review of the uses of the uterine compression suture techniques as alternative to hysterectomy in the management of severe postpartum haemorrhage. *J Obstet Gynaecol* 2005;25:143–9.

513. Hong TM, Tseng HS, Lee RC, Wang JH, Chang CY. Uterine artery embolization: an effective treatment for intractable obstetric haemorrhage. *Clin Radiol* 2004;59:96–101.

514. Knight M. Peripartum hysterectomy in the UK: management and outcomes of the associated haemorrhage. *BJOG* 2007;114:1380–7.

515. Rossi AC, Lee RH, Chmait RH. Emergency postpartum hysterectomy for uncontrolled postpartum bleeding: a systematic review. *Obstet Gynecol* 2010;115:637–44.

516. Yu S, Pennisi JA, Moukhtar M, Friedman EA. Placental abruption in association with advanced abdominal pregnancy. A case report. *J Reprod Med* 1995;40:731–5.

517. Ray P, Murphy GJ, Shutt LE. Recognition and management of maternal cardiac disease in pregnancy. *Br J Anaesth* 2004;93:428–39.

518. Abbas AE, Lester SJ, Connolly H. Pregnancy and the cardiovascular system. *Int J Cardiol* 2005;98:179–89.

519. James AH, Jamison MG, Biswas MS, Brancazio LR, Swamy GK, Myers ER. Acute myocardial infarction in pregnancy: a United States population based study. *Circulation* 2006;113:1564–71.

520. Ahearn GS, Hadjiliadis D, Govert JA, Tapson VF. Massive pulmonary embolism during pregnancy successfully treated with recombinant tissue plasminogen activator: a case report and review of treatment options. *Arch Intern Med* 2002;162:1221–7.

521. Drenthen W, Pieper PG, Roos Hesselink JW, et al. Outcome of pregnancy in women with congenital heart disease: a literature review. *J Am Coll Cardiol* 2007;49:2303–11.

522. Sibai B, Dekker G, Kupferminc M. Pre-eclampsia. *Lancet* 2005;365:785–99.

523. Sibai BM. Diagnosis, prevention, and management of eclampsia. *Obstet Gynecol* 2005;105:402–10.

524. Duley L, Gulmezoglu AM, Henderson Smart DJ. Magnesium sulphate and other anticonvulsants for women with pre-eclampsia. *Cochrane Database Syst Rev* 2003:CD000025.

525. Duley L, Henderson Smart D. Magnesium sulphate versus phenytoin for eclampsia. *Cochrane Database Syst Rev* 2003:CD000128.

526. Duley L, Henderson Smart D. Magnesium sulphate versus diazepam for eclampsia. *Cochrane Database Syst Rev* 2003:CD000127.

527. Knight M. Antenatal pulmonary embolism: risk factors, management and outcomes. *BJOG* 2008;115:453–61.

528. Dapprich M, Boessenecker W. Fibrinolysis with alteplase in a pregnant woman with stroke. *Cerebrovasc Dis* 2002;13:290.
529. Turrentine MA, Braems G, Ramirez MM. Use of thrombolytics for the treatment of thromboembolic disease during pregnancy. *Obstet Gynecol Surv* 1995;50:534–41.
530. Thabut G, Thabut D, Myers RP, et al. Thrombolytic therapy of pulmonary embolism: a meta-analysis. *J Am Coll Cardiol* 2002;40:1660–7.
531. Patel RK, Fasan O, Arya R. Thrombolysis in pregnancy. *Thromb Haemost* 2003;90:1216–7.
532. Conde Agudelo A, Romero R. Amniotic fluid embolism: an evidence based review. *Am J Obstet Gynecol* 2009;201:e1–13.
533. Knight M, Tuffnell D, Brocklehurst P, Spark P, Kurinczuk JJ. Incidence and risk factors for amniotic fluid embolism. *Obstet Gynecol* 2010;115:910–7.
534. Stanten RD, Iverson LI, Daugharty TM, Lovett SM, Terry C, Blumenstock E. Amniotic fluid embolism causing catastrophic pulmonary vasoconstriction: diagnosis by transesophageal echocardiogram and treatment by cardiopulmonary bypass. *Obstet Gynecol* 2003;102:496–8.
535. Katz VL, Dotters DJ, Droegemueller W. Perimortem cesarean delivery. *Obstet Gynecol* 1986;68:571–6.
536. American Heart Association in collaboration with International Liaison Committee on Resuscitation. Guidelines 2000 for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2000;102:11–384.
537. Cardiac arrest associated with pregnancy. Cummins R, Hazinski M, Field J, editors. ACLS the reference textbook. Dallas: American Heart Association; 2003. p. 143–58. Chapter 4; Part 6.
538. Katz V, Balderston K, DeFreest M. Perimortem cesarean delivery: were our assumptions correct? *Am J Obstet Gynecol* 2005;192:1916–20, discussion 20–1.
539. Oates S, Williams GL, Rees GA. Cardiopulmonary resuscitation in late pregnancy. *BMJ* 1988;297:404–5.
540. Strong THJ, Lowe RA. Perimortem cesarean section. *Am J Emerg Med* 1989;7:489–94.
541. Boyd R, Teece S. Towards evidence based emergency medicine: best BETs from the Manchester Royal Infirmary. Perimortem Caesarean section. *Emerg Med J* 2002;19:324–5.
542. Dijkman A, Huisman CM, Smit M, et al. Cardiac arrest in pregnancy: increasing use of perimortem cesarean section due to emergency skills training? *BJOG* 2010;117:282–7.
543. Allen MC, Donohue PK, Dusman AE. The limit of viability – neonatal outcome of infants born at 22 to 25 weeks' gestation. *N Engl J Med* 1993;329:1597–601.
544. Moore C, Promes SB. Ultrasound in pregnancy. *Emerg Med Clin North Am* 2004;22:697–722.
- 544a. Rittenberger JC, Kelly E, Jang D, Greer K, Heffner A. Successful outcome utilizing hypothermia after cardiac arrest in pregnancy: a case report. *Crit Care Med* 2008;36:1354–6.
545. Natale A, Davidson T, Geiger MJ, Newby K. Implantable cardioverter efibrillators and pregnancy: a safe combination? *Circulation* 1997;96:2808–12.
546. Siassakos D, Crofts JF, Winter C, Weiner CP, Draycott TJ. The active components of effective training in obstetric emergencies. *BJOG* 2009;116:1028–32.
547. Budnick LD. Bathtub related electrocutions in the United States, 1979 to 1982. *AMA* 1984;252:918–20.
548. Lightning associated deaths – United States, 1980–1995. *MMWR Morb Mortal kly Rep* 1998;47:391–4.
549. Geddes LA, Bourland JD, Ford G. The mechanism underlying sudden death from electric shock. *Med Instrum* 1986;20:303–15.
550. Zafren K, Durrer B, Herry JP, Brugger H. Lightning injuries: prevention and on site treatment in mountains and remote areas. Official guideines of the International Commission for Mountain Emergency Medicine and the Medical Commission of the International Mountaineering and Climbing Federation (ICAR and UIAA MEDCOM). *Resuscitation* 2005;65: 369–72.
551. Cherington M. Lightning injuries. *Ann Emerg Med* 1995;25:517–9.
552. Fahmy FS, Brinsden MD, Smith J, Frame JD. Lightning: the multisystem group injuries. *J Trauma* 1999;46:937–40.
553. Patten BM. Lightning and electrical injuries. *Neurol Clin* 1992;10:1047–58.
554. Browne BJ, Gaasch WR. Electrical injuries and lightning. *Emerg Med Clin North Am* 1992;10:211–29.

555. Kleiner JP, Wilkin JH. Cardiac effects of lightning stroke. *JAMA* 1978;240:2757–9.
556. Lichtenberg R, Dries D, Ward K, Marshall W, Scanlon P. Cardiovascular effects of lightning strikes. *J Am Coll Cardiol* 1993;21:531–6.
557. Cooper MA. Emergent care of lightning and electrical injuries. *Semin Neurol* 1995;15:268–78.
558. Milzman DP, Moskowitz L, Hardel M. Lightning strikes at a mass gathering. *South Med J* 1999;92:708–10.
559. Cooper MA. Lightning injuries: prognostic signs for death. *Ann Emerg Med* 1980;9:134–8.
560. Kleinschmidt DeMasters BK. Neuropathology of lightning strike injuries. *Semin Neurol* 1995;15:323–8.
561. Stewart CE. When lightning strikes. *Emerg Med Serv* 2000;29:57–67, quiz 103.
562. Duclos PJ, Sanderson LM. An epidemiological description of lightning related deaths in the United States. *Int J Epidemiol* 1990;19:673–9.
563. Epperly TD, Stewart JR. The physical effects of lightning injury. *J Fam Pract* 1989;29:267–72.
564. Whitcomb D, Martinez JA, Daberkow D. Lightning injuries. *South Med J* 2002;95:1331–4.
565. Goldman RD, Einarson A, Koren G. Electric shock during pregnancy. *Can Fam Physician* 2003;49:297–8.